



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2025011002797607

NAME AND ADDRESS OF THE APPLICANT

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

NAME AND LOCATION OF THE FACTORY

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

PRODUCT NAME,MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear for LED Modules (LED Controlgear, Independent, Constant
Current Mode, SELV, ta:45°C, tc:75°C/80°C/85°C, Class II, IP20, Non-controlled Port Dimming,
Suitable for Direct Mounting on Normally Flammable Material Surfaces, Temperature Declared
Thermally Protected: 110°C)
See Appendix. 220-240V~ 50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB/T 19510.1-2023;GB/T 19510.213-2023

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Jul.25,2025

Valid until: Jul.24,2030

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2025011002797607

Appendix: Page 1 of 1

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

序号	型号	输出电 流 (mA)	输出电压 (Vdc)	最大输出 电压 (Vdc)	输出功 率 (W) Max.	tc (°C)
1	LS-8-100 Blue SI-MJ	100	30-40	59	4	75
2	LS-8-120 Blue SI-MJ	120	30-40	59	4.8	75
3	LS-8-160 Blue SI-MJ	160	30-40	59	6.4	75
4	LS-8-180 Blue SI-MJ	180	30-40	59	7.2	75
5	LS-8-200 Blue SI-MJ	200	30-40	59	8	75
6	LS-8-235 Blue SI-MJ	235	30-40	59	9.4	75
7	LS-12-250 Blue SI-MJ	250	30-40	59	10	80
8	LS-12-280 Blue SI-MJ	280	30-40	59	11.2	80
9	LS-12-300 Blue SI-MJ	300	30-40	59	12	80
10	LS-12-350 Blue SI-MJ	350	30-40	59	14	85

220-240V~, 50/60Hz。

备注：所有型号输入功率实测均大于 5W。

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.