

CERTIFICATE

Issued to:
Applicant:
**EAGLERISE ELECTRIC & ELECTRONIC (JI AN)
CO., LTD**
West Zone, Ji An County Industrial Park
Ji An County Jiangxi, China

Licensee:
**Foshan Eaglerise Power Science & Technology
(Shunde) Co.,Ltd.**
No.4, East Huanzhen Road, Beijiao Shunde
528000 Foshan, Guangdong, China

Product : LED Power Supply
Trade name(s) : EAGLERISE
Type(s)/model(s) : VTS-200-24 DALI-2 0-10 IP65 L and VTS-200-24 DALI-2 0-10 L

The product and any acceptable variation thereof as specified in the Annex to this certificate and the documents referred to therein.

DEKRA hereby declares that the above-mentioned product has been certified based on:

- a type test according to EN 61347-1:2015, EN 61347-1:2015/A1:2021, EN 61347-2-13:2014, EN 61347-2-13:2014/A1:2017 and EN IEC 62384:2020
- an inspection of the factory location according to CENELEC Operational Document CIG 021
- a DEKRA certification agreement with the number 2178893


DEKRA hereby grants the right to use the ENEC certification mark.

The ENEC certification mark may be applied to the product as specified in this certificate for the duration and under the conditions of the ENEC certification agreement.

This certificate is issued on 30 May 2025 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 35-158833

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



Kreny Lin
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE
DUTCH ACCREDITATION
COUNCIL



SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

Product	: LED Power Supply
Trade name(s)	: EAGLERISE
Type(s)/model(s)	: VTS-200-24 DALI-2 0-10 IP65 L and VTS-200-24 DALI-2 0-10 L
Rated voltage	: 220-240 VAC&VDC
Rated frequency	: 0/50/60 Hz
Additional information	: SELV, constant voltage output, 110 °C thermal protection, non-inherently short circuit proof, EL mark

Product data – type VTS-200-24 DALI-2 0-10 IP65 L

Degree of protection	: IP65
Additional information	: independent model, Class II

Product data – type VTS-200-24 DALI-2 0-10 L

Degree of protection	: IP20
Additional information	: built-in model, double insulation

TESTS**Test requirements**

EN 61347-1:2015
EN 61347-1:2015/A1:2021
EN 61347-2-13:2014
EN 61347-2-13:2014/A1:2017
EN IEC 62384:2020

Test result

The test results are documented in DEKRA test file 493751300.

Additional information

The list of components is laid down in test report 4937513.50.

Conclusion

The examination has confirmed that all requirements were met.

Factory location

EAGLERISE ELECTRIC & ELECTRONIC (JI AN) CO., LTD
West Zone, Ji An County Industrial Park
Ji An County Jiangxi, China

Trade name : EAGLERISE stands for 

Attachment 5: Detailed Model List

Model	Type		Input				Output			ta (°C)	tc (°C)	EoFv	IP Level	Remark
			Voltage (VAC&VDC)	Max. Current (A)	Frequency (Hz)	Power Factor	Constant Voltage (Vdc)	Normal working Current (A)	Max. Power (W)					
VTS-200-24 DALI-2 0-10 IP65 L	Independent	Class II	220-240	1.2A	0/50/60 Hz	≥0.95	24	0-8.33A	200	45	80	15%	IP65	Both models are fully same except the input/output cables.
VTS-200-24 DALI-2 0-10 L	Built-in	Double Insulation	220-240	1.2A	0/50/60 Hz	≥0.95	24	0-8.33A	200	45	80		IP20	