This translated document does not have legal validity and cannot be used in isolation



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2024011002656628

NAME AND ADDRESS OF THE APPLICANT

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

NAME AND LOCATION OF THE FACTORY

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (LED Controlgear, Independent, Constant Current Mode, Controlled Port Dimming, Class II, SELV, ta:45°C, tc:75/85°C, Suitable For Direct Mounting On Normally Flammable Material Surfaces, Temperature Declared Thermally Protected:110°C)

See Appendix; Input: 220-240V~50/60Hz.

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022:GB/T 17743-2021:GB 19510.1-2009:GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Sep.10,2025 Valid until: Jul.11,2029

Date of original issued: Jul.12,2024

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).



signature: 谢肇煦



CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



This translated document does not have legal validity and cannot be used in isolation



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2024011002656628

Appendix: Page 1 of 1

型号	输出						
	恒定电	电压 (Vdc)	最大空载电	功率	ta (℃)	tc (℃)	备注
	流		压 (Max.W)	·			
	(mA)		(Max.Vdc)	(Max. W)			
FLS-20-500 DALI-2 LD PRO	80	2.5-49 2.5-44.5 2.5-40	60	3.9	45	75	DALI 调 可码节编编
	100			4.9			
	120			5.9			
	150			7.4			
	180			8.8			
	200			9.8			
	220			10.8			
	250			12.3			
	280			13.7			
	300			14.7			
	350			17.2			
	400			19.6			
	450			20.0			
	500			20.0			
FLS-20-500	80-400	2.5-49	60	3.92-19.6	45	75	DALI 调 光
DALI-2 LN	401-450	2.5-44.5		17.85-20			
PRO	451-500	2.5-40		18-20			
FLS-30-700 DALI-2 LN PRO	150-200	2.5-49	60	7.35-9.8	45	85	通过 NFC 调节 输出电流
	250-350	2.5-49		12.25-17.2			
	400-650	2.5-45		18-29.3			
	700	2.5-42		29.4			

输入: 220-240V~50/60Hz 0.2A

This page is attached to the certificate and should be used at the same time as the certificate page.



CHINA QUALITY CERTIFICATION CENTRE CO., LTD.