ATTESTATION OF CONFORMITY

Issued to: EAGLERISE ELECTRIC & ELECTRONIC(JI AN)CO.,LTD

West Zone, Ji An County Industrial Park, Ji An County, Jiangxi, China

For the product: LED Power Supply

Trade name: EAGLERISE POWER

Type/Model: See annex

Ratings: See annex

Manufactured by: EAGLERISE ELECTRIC & ELECTRONIC(JI AN)CO.,LTD

West Zone, Ji An County Industrial Park, Ji An County, Jiangxi, China

Subject: Complete evaluation of electrical system of the appliances

Requirements: EN IEC 55015:2019 + A11:2020

EN IEC 61547:2023

EN IEC 61000-3-2:2019 + A1:2021 + A2:2024 EN 61000-3-3:2013 + A1:2019 + A2:2021

This Attestation is granted on account of an examination by DEKRA, the results of which are laid down in a test file / test report no 4934848.50.

This Attestation implies that the examined types are in accordance with the standards designated under the Electromagnetic Compatibility Directive (EMC) 2014/30/EU.

The examination has been carried out on one single specimen or several specimens of the product, submitted by the manufacturer. The Attestation does not include an assessment of the manufacturer's production. Conformity of this production with the specimen tested by DEKRA is not the responsibility of DEKRA.

This document does not authorize the use of any DEKRA approved mark.

Arnhem, 9 May 2025 Number: 4934848.01AOC

DEKRA Testing and Certification (Shanghai) Ltd., Guangzhou Branch

Miranda Zhou Certification Manager

© Integral publication of this attestation and adjoining reports is allowed

DEKRA Testing and Certification (Shanghai) Ltd., Guangzhou Branch Block 5, No.3, Qiyun Road, Huangpu District, Guangzhou, Guangdong, China T +86 20 6661 2000 F +86 20 6661 2001 www.dekra-product-safety.com



Annex

Document no. : 4934848.01AOC

Type/Model/Ratings:

Model	Input				Output			
	Voltage (VAC)	Max. Current(mA)	Freque ncy (Hz)	Constant Current(m A)	Working voltage range (Vdc)	Voltage No load (VDC)	Max. Power(W)	
LS-8-70 CCT SI E	220-240	40	50/60 Hz	70	30-40	59	2.8	
LS-8-80 CCT SI E		40		80			3.2	
LS-8-100 CCT SI E		50		100			4	
LS-8-120 CCT SI E		70		120			4.8	
LS-8-150 CCT SI E		80		150			6	
LS-8-160 CCT SI E		90		160			6.4	
LS-8-180 CCT SI E		100		180			7.2	
LS-8-200 CCT SI E		110		200			8	
LS-8-220 CCT SI E		120		220			8.8	
LS-8-300 CCT SI E		100		300	18-24	40	7.2	
LS-8-350 CCT SI E		120		350			8.4	
LS-8-500 CCT SI E		120		500	10-16	35	8	
LS-8-700 CCT SI E		110		700	8-11.4	28	8	
LS-12-250 CCT SI E	220-240	150	50/60 Hz	250	30-40	59	10	
LS-12-280 CCT SI E		160		280			11.2	
LS-12-300 CCT SI E		180		300			12	
LS-12-350 CCT SI E		180		350			14	
LS-12-500 CCT SI E		160		500	18-24	40	12	
LS-12-600 CCT SI E		160		600	15-20 13-17.2	35	12	
LS-12-700 CCT SI E		160		700			12	



	Input				Output			
Model	Voltage (VAC)	Max. Current(mA)	Freque ncy (Hz)	Constant Current(m A)	Working voltage range (Vdc)	Voltage No load (VDC)	Max. Power(W)	
LS-21-300 CCT SI E	220-240	300	50/60 Hz	300	40-70	90	21	
LS-21-350 CCT SI E		300		350	42-60	80	21	
LS-21-400 CCT SI E		300		400	30-42	59	16.8	
LS-21-450 CCT SI E		300		450			18.9	
LS-21-500 CCT SI E		300		500			21	
LS-21-550 CCT SI E		300		550	30-40		22	
LS-21-600 CCT SI E		300		600	27-35		21	
LS-21-650 CCT SI E		300		650	20-32	- 50	20.8	
LS-21-700 CCT SI E		300		700	18-30		21	