

CERTIFICATE

Issued to:
Applicant:
**EAGLERISE ELECTRIC & ELECTRONIC (JI AN)
CO., LTD**
West Zone, Ji An County Industrial Park
Ji An County Jiangxi, China

Licensee:
**Foshan Eaglerise Power Science & Technology
(Shunde) Co.,Ltd.**
No.4, East Huanzhen Road, Beijiao Shunde
528000 Foshan, Guangdong, China

Product : LED power supply
Trade name(s) : EAGLERISE
Type(s)/model(s) : LS-40-1000 LI1 EXC S, LS-40-1050 LI1 EXC S, LS-40-600 LI1 EXC S,
LS-40-650 LI1 EXC S, LS-40-700 LI1 EXC S, LS-40-750 LI1 EXC S,
LS-40-800 LI1 EXC S, LS-40-850 LI1 EXC S, LS-40-900 LI1 EXC S and
LS-40-950 LI1 EXC S

The product and any acceptable variation thereof as specified in the Annex to this certificate and the documents referred to therein.

DEKRA hereby declares that the above-mentioned product has been certified based on:

- a type test according to EN 61347-1:2015, EN 61347-1:2015/A1:2021, EN 61347-2-13:2014, EN 61347-2-13:2014/A1:2017 and EN IEC 62384:2020
- an inspection of the factory location according to CENELEC Operational Document CIG 021
- a DEKRA certification agreement with the number 2178893


DEKRA hereby grants the right to use the ENEC certification mark.

The ENEC certification mark may be applied to the product as specified in this certificate for the duration and under the conditions of the ENEC certification agreement.

This certificate is issued on 11 November 2025 and expires upon withdrawal of one of the above mentioned standards.

Certificate number: 35-167309

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



Rosa Zhou
Certification Manager

© Integral publication of this certificate is allowed

ACCREDITED BY THE
DUTCH ACCREDITATION
COUNCIL



SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

Product	: LED power supply
Trade name(s)	: EAGLERISE
Type(s)/model(s)	: LS-40-1000 LI1 EXC S, LS-40-1050 LI1 EXC S, LS-40-600 LI1 EXC S, LS-40-650 LI1 EXC S, LS-40-700 LI1 EXC S, LS-40-750 LI1 EXC S, LS-40-800 LI1 EXC S, LS-40-850 LI1 EXC S, LS-40-900 LI1 EXC S and LS-40-950 LI1 EXC S
Rated voltage	: 220-240 Vac/dc
Rated frequency	: 0/50/60 Hz
Class	: Class II
Degree of protection	: IP20/IP40
Additional information	: SELV, independent, constant current output, non-inherently short circuit proof, 110 °C thermal protection

TESTS**Test requirements**

EN 61347-1:2015
EN 61347-1:2015/A1:2021
EN 61347-2-13:2014
EN 61347-2-13:2014/A1:2017
EN IEC 62384:2020

Test result

The test results are documented in DEKRA test file 4944528.50,4944528.51.

Additional information

The list of components is laid down in test report 4944528.50.

Conclusion

The examination has confirmed that all requirements were met.

Factory location

EAGLERISE ELECTRIC & ELECTRONIC (JI AN) CO., LTD
West Zone, Ji An County Industrial Park
Ji An County Jiangxi, China

Trade name : EAGLERISE stands for 

Model list:

Model	Input					Output				ta	tc
	U _n	I _n Max	f _n	PF (AC input)	P _n	I _{rated}	U _d ^{rate}	U _{out}	P _d ^{rate}	(°C)	(°C)
	(Vac/ dc)	(mA)	(Hz)		(W)	(mA)	(Vdc)	(Vdc)	(W)		
LS-40-600 LI1 EXC S	220- 240	170	0/50/60	0,9C- 0,95	31,02	600	27-42	59	25,2	45	80
LS-40-650 LI1 EXC S		190			33,61	650			27,3		
LS-40-700 LI1 EXC S		200			36,19	700			29,4		
LS-40-750 LI1 EXC S		220			38,78	750			31,5		
LS-40-800 LI1 EXC S		230			41,36	800			33,6		
LS-40-850 LI1 EXC S		250			43,95	850			35,7		
LS-40-900 LI1 EXC S		260			45,49	900			37,8		
LS-40-950 LI1 EXC S		270			48,01	950			39,9		
LS-40-1000 LI1 EXC S		270			48,13	1000			40,0		
LS-40-1050 LI1 EXC S		290			48,01	1050			39,9		

Note: All models have same circuit diagram and PCB layout except output parameter and the components used in circuit.