

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Eaglerise Electric & Electronic (Ji An) Co., Ltd	Other Name	
Address	Southwest Corner of Panlong Road and Chaoyang Road, Ji'an Industrial Park, Ji'an County Jiangxi Province 343100 China		
Client ID	110223	Global-Mark File Number:	110223-021
Certificate Number & Approval Mark	GMA-529291-EA	Revision Number	00
Certification Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 Amd 1: 2018, Amd 2: 2025 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme


CERTIFICATE DATES

Certificate Issue Date	17/07/2026
Certificate Last Update Date	
Certification Expiry Date	17/07/2031

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	LED power supply	OSRAM	EMS 4/220-240/100 LPF	Input: 220-240Vac, 50/60Hz, 0.05A Output: λ:0.6C, 30-40V, 59V max. ,100mA ,4W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 5/220-240/120 LPF	Input: 220-240Vac, 50/60Hz, 0.07A Output: λ:0.6C, 30-40V, 59V max. ,120mA ,4.8W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 6/220-240/150 LPF	Input: 220-240Vac, 50/60Hz, 0.08A Output: λ:0.6C, 30-40V, 59V max. ,150mA ,6W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 7/220-240/180 LPF	Input: 220-240Vac, 50/60Hz, 0.1A Output: λ:0.6C, 30-40V, 59V max. ,180mA ,7.2W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 8/220-240/200 LPF	Input: 220-240Vac, 50/60Hz, 0.1A Output: λ:0.6C, 30-40V, 59V max. ,200mA ,8.0W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 9/220-240/220 LPF	Input: 220-240Vac, 50/60Hz, 0.1A Output: λ:0.6C, 30-40V, 59V max. ,220mA ,8.8W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 10/220-240/250 LPF	Input: 220-240Vac, 50/60Hz, 0.15A Output: λ:0.6C, 30-40V, 59V max. ,250mA ,10W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 11/220-240/280 LPF	Input: 220-240Vac, 50/60Hz, 0.16A Output: λ:0.6C, 30-40V, 59V max. ,280mA ,11.2W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 12/220-240/300 LPF	Input: 220-240Vac, 50/60Hz, 0.18A Output: λ:0.6C, 30-40V, 59V max. ,300mA ,12W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 15/220-240/350 LPF	Input: 220-240Vac, 50/60Hz, 0.18A Output: λ:0.6C, 30-40V, 59V max. ,350mA ,14W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 18/220-240/450 LPF	Input: 220-240Vac, 50/60Hz, 0.19A Output: λ:0.6C, 30-40V, 59V max. ,450mA ,18W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 20/220-240/500 LPF	Input: 220-240Vac, 50/60Hz, 0.22A Output: λ:0.6C, 30-40V, 59V max. ,500mA ,20W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 20/220-240/500	Input: 220-240Vac, 0/50/60Hz, 0.16A Output: λ:0.95,27-42V,59V max. ,500mA ,21W max.

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	LED power supply	OSRAM	EMS 25/220-240/600	Input: 220-240Vac, 0/50/60Hz, 0.18A Output:λ:0.95,27-42V,59V max. ,600mA ,25.2W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 27/220-240/650	Input: 220-240Vac, 0/50/60Hz, 0.2A Output:λ:0.95,27-42V,59V max. ,650mA ,27.3W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 30/220-240/700	Input: 220-240Vac, 0/50/60Hz, 0.21A Output:λ:0.95,27-42V,59V max. ,700mA ,29.4W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 32/220-240/750	Input: 220-240Vac, 0/50/60Hz, 0.22A Output:λ:0.95,27-42V,59V max. ,750mA ,31.5W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 33/220-240/800	Input: 220-240Vac, 0/50/60Hz, 0.23A Output:λ:0.95,27-42V,59V max. ,800mA ,33.6W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 35/220-240/850	Input: 220-240Vac, 0/50/60Hz, 0.25A Output:λ:0.95,27-42V,59V max. ,850mA ,35.7W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 36/220-240/900	Input: 220-240Vac, 0/50/60Hz, 0.26A Output:λ:0.95,27-42V,59V max. ,900mA ,37.8W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 38/220-240/950	Input: 220-240Vac, 0/50/60Hz, 0.27A Output:λ:0.95,27-42V,59V max. ,950mA ,39.9W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 40/220-240/1000	Input: 220-240Vac, 0/50/60Hz, 0.28A Output:λ:0.95,27-42V,59V max. ,1000mA ,42W max.
Power Supply or Charger	LED power supply	OSRAM	EMS 42/220-240/1050	Input: 220-240Vac, 0/50/60Hz, 0.29A Output:λ:0.95,27-40V,59V max. ,1050mA ,42W max.

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

2026/07/17 Initial Certification

- power supply for lighting purposes for use with class III LED lighting
- Classified as "Do-not-cover"

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



JAS-ANZ

