



CERTIFICATE

No. U6 105345 0016 Rev. 00

Holder of Certificate: **Eaglerise Electric & Electronic (Ji'an) Co., Ltd.**
Southwest Corner of Panlong Road and Chaoyang Road
Ji'an Industrial Park
343100 Ji'an County, Jiangxi Province
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: **Electronic controlgear for LED modules (LED Power Supply)**

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64142260383901

Date, 2026-08-25


(Michael Xu)

CERTIFICATE

No. U6 105345 0016 Rev. 00

Model(s):

ITS FIX 12/220-240/300 CS T-W HE,
ITS FIX 18/220-240/450 CS T-W HE,
ITS FIX 26/220-240/650 CS T-W HE,
ITS FIX 34/220-240/850 CS T-W HE,
ITS FIX 42/220-240/1050 CS T-W HE,
ITS FIX 12/220-240/300 CS T-B HE,
ITS FIX 18/220-240/450 CS T-B HE,
ITS FIX 26/220-240/650 CS T-B HE,
ITS FIX 34/220-240/850 CS T-B HE,
ITS FIX 42/220-240/1050 CS T-B HE,
ITS FIX 12/220-240/300 CS T-G HE,
ITS FIX 18/220-240/450 CS T-G HE,
ITS FIX 26/220-240/650 CS T-G HE,
ITS FIX 34/220-240/850 CS T-G HE,
ITS FIX 42/220-240/1050 CS T-G HE

Brand Name:

OSRAM

OSRAM

Parameters:

Rated voltage:	220-240V
Rated frequency:	0/50/60Hz
Rated input current:	See model list
Rated output:	See model list
Type of output:	Constant current type
Protection class:	SELV
Method of Installation:	Independent
ta:	35°C
tc:	75°C

Tested according to:

EN IEC 61347-1:2024
EN IEC 61347-2-13:2024
EN IEC 62384:2020

Production Facility(ies):

105345

CERTIFICATE

No. U6 105345 0016 Rev. 00

Model list

No.	Model	Rated input current (A)	Output Voltage (Vdc)	Output Current (mA)	Uout (Vdc)	Prated (W)	PF
1	ITS FIX 12/220-240/300 CS T-W HE	0.11	27-40	150-300	59	12	0.7C-0.95
2	ITS FIX 18/220-240/450 CS T-W HE	0.15	27-40	300-450	59	18	0.7C-0.95
3	ITS FIX 26/220-240/650 CS T-W HE	0.18	27-40	500-650	59	26	0.8C-0.95
4	ITS FIX 34/220-240/850 CS T-W HE	0.25	27-40	700-850	59	34	0.8C-0.95
5	ITS FIX 42/220-240/1050 CS T-W HE	0.27	27-40	900-1050	59	42	0.95
6	ITS FIX 12/220-240/300 CS T-B HE	0.11	27-40	150-300	59	12	0.7C-0.95
7	ITS FIX 18/220-240/450 CS T-B HE	0.15	27-40	300-450	59	18	0.7C-0.95
8	ITS FIX 26/220-240/650 CS T-B HE	0.18	27-40	500-650	59	26	0.8C-0.95
9	ITS FIX 34/220-240/850 CS T-B HE	0.25	27-40	700-850	59	34	0.8C-0.95
10	ITS FIX 42/220-240/1050 CS T-B HE	0.27	27-40	900-1050	59	42	0.95
11	ITS FIX 12/220-240/300 CS T-G HE	0.11	27-40	150-300	59	12	0.7C-0.95
12	ITS FIX 18/220-240/450 CS T-G HE	0.15	27-40	300-450	59	18	0.7C-0.95
13	ITS FIX 26/220-240/650 CS T-G HE	0.18	27-40	500-650	59	26	0.8C-0.95
14	ITS FIX 34/220-240/850 CS T-G HE	0.25	27-40	700-850	59	34	0.8C-0.95
15	ITS FIX 42/220-240/1050 CS T-G HE	0.27	27-40	900-1050	59	42	0.95