



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022011002467749

Valid from: Aug.16,2022

Valid until: Mar.22,2027

NAME AND REGISTERED ADDRESS OF THE APPLICANT	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
NAME AND LOCATION OF THE FACTORY	Eaglerise Electric & Electronic (Ji An) Co., Ltd. Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An County, Jiangxi Province, P.R.China
PRODUCT MODEL(S)	A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV, ta:45°C, Class II, IP20, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected:110°C) See Appendix. 220-240V ~ 50/60Hz
STANDARDS AND TECHNICAL REQUIREMENTS	GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: May.07,2022

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022011002467749

page 1 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	型号规格
tc:75°C	
1	LS-6-150 TRIAC LI (输出: 150mA, 27-42Vdc, Max. 50Vdc, Max. 6.3W)
2	LS-6-200 TRIAC LI (输出: 200mA, 20-30Vdc, Max. 40Vdc, Max. 6W)
3	LS-6-250 TRIAC LI (输出: 250mA, 16-24Vdc, Max. 34Vdc, Max. 6W)
4	LS-6-300 TRIAC LI (输出: 300mA, 13-20Vdc, Max. 30Vdc, Max. 6W)
5	LS-6-350 TRIAC LI (输出: 350mA, 12-17Vdc, Max. 25Vdc, Max. 6W)
6	LS-9-200 TRIAC LI (输出: 200mA, 27-42Vdc, Max. 55Vdc, Max. 8.4W)
7	LS-9-250 TRIAC LI (输出: 250mA, 25-38Vdc, Max. 50Vdc, Max. 9.5W)
8	LS-9-300 TRIAC LI (输出: 300mA, 20-30Vdc, Max. 40Vdc, Max. 9W)
9	LS-9-350 TRIAC LI (输出: 350mA, 17-27Vdc, Max. 35Vdc, Max. 9.5W)
10	LS-9-400 TRIAC LI (输出: 400mA, 15-23Vdc, Max. 33Vdc, Max. 9.2W)
11	LS-9-450 TRIAC LI (输出: 450mA, 13-20Vdc, Max. 30Vdc, Max. 9W)
12	LS-9-500 TRIAC LI (输出: 500mA, 12-19Vdc, Max. 28Vdc, Max. 9.5W)
tc:80°C	
13	LS-12-250 TRIAC LI (输出: 250mA, 32-48Vdc, Max. 59Vdc, Max. 12W)
14	LS-12-300 TRIAC LI (输出: 300mA, 26-40Vdc, Max. 50Vdc, Max. 12W)
15	LS-12-350 TRIAC LI (输出: 350mA, 23-35Vdc, Max. 46Vdc, Max. 12.3W)
16	LS-12-400 TRIAC LI (输出: 400mA, 20-30Vdc, Max. 40Vdc, Max. 12W)
17	LS-12-450 TRIAC LI (输出: 450mA, 17-27Vdc, Max. 35Vdc, Max. 12.2W)
18	LS-12-500 TRIAC LI (输出: 500mA, 16-24Vdc, Max. 34Vdc, Max. 12W)
19	LS-12-550 TRIAC LI (输出: 550mA, 14-22Vdc, Max. 32Vdc, Max. 12.1W)
20	LS-12-600 TRIAC LI (输出: 600mA, 13-20Vdc, Max. 30Vdc, Max. 12W)
21	LS-12-650 TRIAC LI (输出: 650mA, 12-18Vdc, Max. 25Vdc, Max. 11.7W)
22	LS-12-700 TRIAC LI (输出: 700mA, 12-18Vdc, Max. 25Vdc, Max. 12.6W)
23	LS-15-300 TRIAC LI (输出: 300mA, 35-50Vdc, Max. 59Vdc, Max. 15W)
24	LS-15-350 TRIAC LI (输出: 350mA, 27-42Vdc, Max. 53Vdc, Max. 14.7W)



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2022011002467749

page 2 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

25	LS-15-400 TRIAC LI (输出: 400mA, 25-38Vdc, Max. 48Vdc, Max. 15.2W)
26	LS-15-450 TRIAC LI (输出: 450mA, 22-33Vdc, Max. 43Vdc, Max. 14.9W)
27	LS-15-500 TRIAC LI (输出: 500mA, 20-30Vdc, Max. 39Vdc, Max. 15W)
28	LS-15-550 TRIAC LI (输出: 550mA, 17-27Vdc, Max. 35Vdc, Max. 14.9W)
29	LS-15-600 TRIAC LI (输出: 600mA, 16-25Vdc, Max. 33Vdc, Max. 15W)
30	LS-15-650 TRIAC LI (输出: 650mA, 16-23Vdc, Max. 31Vdc, Max. 15W)
31	LS-15-700 TRIAC LI (输出: 700mA, 14-22Vdc, Max. 30Vdc, Max. 15.4W)
32	LS-20-300 TRIAC LI (输出: 300mA, 50-68Vdc, Max. 80Vdc, Max. 20.4W)
33	LS-20-350 TRIAC LI (输出: 350mA, 40-60Vdc, Max. 75Vdc, Max. 21W)
34	LS-20-400 TRIAC LI (输出: 400mA, 32-50Vdc, Max. 59Vdc, Max. 20W)
35	LS-20-450 TRIAC LI (输出: 450mA, 27-42Vdc, Max. 53Vdc, Max. 18.9W)
36	LS-20-500 TRIAC LI (输出: 500mA, 27-42Vdc, Max. 53Vdc, Max. 21W)
37	LS-20-550 TRIAC LI (输出: 550mA, 25-38Vdc, Max. 50Vdc, Max. 20.9W)
38	LS-20-600 TRIAC LI (输出: 600mA, 22-34Vdc, Max. 46Vdc, Max. 20.4W)
39	LS-20-650 TRIAC LI (输出: 650mA, 20-30Vdc, Max. 40Vdc, Max. 19.5W)
40	LS-20-700 TRIAC LI (输出: 700mA, 20-30Vdc, Max. 40Vdc, Max. 21W)
输入: 220-240V~ 50/60Hz	



CHINA QUALITY CERTIFICATION CENTRE