



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2018011002138878

Valid from: Aug.12,2022

Valid until: Sep.11,2023

NAME AND REGISTERED ADDRESS OF THE APPLICANT	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
NAME AND LOCATION OF THE FACTORY	Eaglerise Electric & Electronic (China) Co.,Ltd. Beijiao Branch No.4-2, East Huanzhen Road, Beijiao Shunde, Foshan, Guangdong 528000, China
PRODUCT MODEL(S)	A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV, ta:45°C, Temperature Declared Thermally Protected: 110°C, ClassII, IP20, Suitable For Direct Mounting On Normally Flammable Material) See Appendix. 220-240V~ 50/60Hz
STANDARDS AND TECHNICAL REQUIREMENTS	GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Dec.07,2018

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2018011002138878

page 1 of 3

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	型号规格
tc : 75°C	
1	LS-8-120 LI (Output : 120mA ,27-54Vdc , Max.63Vdc , Max.6.5W)
2	LS-8-150 LI (Output : 150mA ,27-53Vdc , Max.63Vdc , Max.8W)
3	LS-8-180 LI (Output : 180mA ,22-42Vdc , Max.50Vdc , Max.7.6W)
4	LS-8-200 LI (Output : 200mA ,22-42Vdc , Max.50Vdc , Max.8.4W)
5	LS-8-250 LI (Output : 250mA ,16-32Vdc , Max.42Vdc , Max.8W)
6	LS-8-300 LI (Output : 300mA ,14-27Vdc , Max.35Vdc , Max.8.1W)
7	LS-8-350 LI (Output : 350mA ,12-24Vdc , Max.32Vdc , Max.8.4W)
8	LS-8-400 LI (Output : 400mA ,10-20Vdc , Max.28Vdc , Max.8W)
9	LS-12-250 LI1 (Output : 250mA ,24-42Vdc , Max.50Vdc , Max.10.5W)
10	LS-12-280 LI1 (Output : 280mA ,24-42Vdc , Max.50Vdc , Max.11.8W)
11	LS-12-290 LI1 (Output : 290mA ,24-42Vdc , Max.50Vdc , Max.12.2W)
12	LS-12-300 LI1 (Output : 300mA ,24-42Vdc , Max.50Vdc , Max.12.6W)
13	LS-12-350 LI1 (Output : 350mA ,18-35Vdc , Max.45Vdc , Max.12.3W)
14	LS-12-400 LI1 (Output : 400mA ,18-30Vdc , Max.40Vdc , Max.12W)
15	LS-12-450 LI1 (Output : 450mA ,13-27Vdc , Max.37Vdc , Max.12.2W)
16	LS-12-500 LI1 (Output : 500mA ,14.5-24Vdc , Max.34Vdc , Max.12W)
17	LS-20-300 LI2 (Output : 300mA ,48-70Vdc , Max.80Vdc , Max.21W)
18	LS-20-350 LI2 (Output : 350mA ,40-60Vdc , Max.70Vdc , Max.21W)
19	LS-20-400 LI2 (Output : 400mA ,30-45Vdc , Max.55Vdc , Max.18W)
20	LS-20-450 LI2 (Output : 450mA ,30-45Vdc , Max.55Vdc , Max.20.3W)
21	LS-20-500 LI2 (Output : 500mA ,28-42Vdc , Max.50Vdc , Max.21W)
22	LS-20-550 LI2 (Output : 550mA ,28-42Vdc , Max.50Vdc , Max.23.1W)



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2018011002138878

page 2 of 3

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

23	LS-20-600 LI2 (Output : 600mA ,24-35Vdc , Max.45Vdc , Max.21W)
24	LS-16-700 LI1-GL (Output : 700mA ,14-23Vdc , Max.34Vdc , Max.16.1W)
25	LS-20-700 LI2 (Output : 700mA ,20-30Vdc , Max.40Vdc , Max.21W)
tc : 80°C	
26	LS-16-300 LI1 (Output : 300mA ,20-46Vdc , Max.56Vdc , Max.13.8W)
27	LS-16-350 LI1 (Output : 350mA ,20-46Vdc , Max.56Vdc , Max.16.1W)
28	LS-16-390 LI1 (Output : 390mA ,24-42Vdc , Max.50Vdc , Max.16.4W)
29	LS-16-400 LI1 (Output : 400mA ,24-42Vdc , Max.50Vdc , Max.16.8W)
30	LS-16-450 LI1 (Output : 450mA ,21.5-36Vdc , Max.46Vdc , Max.16.2W)
31	LS-16-500 LI1 (Output : 500mA ,19-32Vdc , Max.42Vdc , Max.16W)
32	LS-16-550 LI1 (Output : 550mA ,18-30Vdc , Max.40Vdc , Max.16.5W)
33	LS-16-600 LI1 (Output : 600mA ,16-27Vdc , Max.37Vdc , Max.16.2W)
34	LS-16-650 LI1 (Output : 650mA ,15-25Vdc , Max.35Vdc , Max.16.3W)
35	LS-16-700 LI1 (Output : 700mA ,14-23Vdc , Max.33Vdc , Max.16.1W)
36	LS-20-300 RI (Output : 300mA ,42-70Vdc , Max.80Vdc , Max.21W)
37	LS-20-350 RI (Output : 350mA ,36-60Vdc , Max.72Vdc , Max.21W)
38	LS-20-400 RI (Output : 400mA ,31-51Vdc , Max.61Vdc , Max.20.4W)
39	LS-20-450 RI (Output : 450mA ,28-46Vdc , Max.56Vdc , Max.20.7W)
40	LS-20-500 RI (Output : 500mA ,25-42Vdc , Max.50Vdc , Max.21W)
41	LS-20-550 RI (Output : 550mA ,24-38Vdc , Max.50Vdc , Max.20.9W)
42	LS-20-600 RI (Output : 600mA ,21-35Vdc , Max.45Vdc , Max.21W)
43	LS-20-650 RI (Output : 650mA ,19-32Vdc , Max.42Vdc , Max.20.8W)
44	LS-20-700 RI (Output : 700mA ,18-30Vdc , Max.40Vdc , Max.21W)



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2018011002138878

page 3 of 3

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

Input : 220-240V ~ 50/60Hz



CHINA QUALITY CERTIFICATION CENTRE