ATTESTATION OF CONFORMITY

Issued to:	Foshan Eaglerise Power Science & Technology (Shunde) Co., Ltd. No.4 East Huanzhen Road, Beijiao Shunde, 528000 Foshan Guangdong, China
For the product:	LED driver
Trade name:	EAGLERISE
Type/Model:	FLS-42-1050 LD1, FLS-42-1050 LD ECO, FLS-38-900 LD1, FLS-38-900 LD ECO, FLS-30-700 LD1, FLS-30-700 LD ECO, FLS-24-550 LD1, FLS-24-550 LD ECO, FLS-30-700 DALI-2 LD2, FLS-30-700 DALI-2 LD2, FLS-44-1050 DALI-2 LD ECO
Ratings:	see annex
Manufactured by:	Foshan Eaglerise Power Science & Technology (Shunde) Co., Ltd. No.4 East Huanzhen Road, Beijiao Shunde, 528000 Foshan Guangdong, China
Requirements:	EN 61347-1:2015 + A1:2021 EN 61347-2-13:2014 + A1:2017 EN 62493:2015 BS EN 61347-1:2015 + A1:2021 BS EN 61347-2-13:2014 + A1:2017 BS EN 62493:2015
This Attestation is granted on account of an examination by DEKRA, the results of which are laid down in a confidential file no 4388614.50.	

This Attestation implies that the examined types are in accordance with the standards designated under the Electrical Equipment (Safety) Regulations 2016.

The examination has been carried out on one single specimen or several specimens of the product, submitted by the manufacturer. The Attestation does not include an assessment of the manufacturer's production. Conformity of his production with the specimen tested by DEKRA is not the responsibility of DEKRA.

The UKCA marking may be affixed on the product if all relevant and effective UK regulations are complied with.

Arnhem, 21 December 2022

Number: 4388614.02AOC

DEKRA Testing and Certification (Shanghai) Ltd., Guangzhou Branch

93a Thom

Rosa Zhou Certification Manager

 $\ensuremath{\mathbb{C}}$ Integral publication of this attestation and adjoining reports is allowed

UK

DEKRA Testing and Certification (Shanghai) Ltd., Guangzhou Branch Block 5, No.3, Qiyun Road, Huangpu District, Guangzhou, Guangdong, China T +86 20 6661 2000 F +86 20 6661 2001 www.dekra-product-safety.com





Document no.

: 4388614.02AOC

Ratings:

IP20, SELV, constant current output, 110°C thermal protection, non-inherently short circuit proof, EL mark; With terminal block cover: Class II, independent type; Without terminal block cover: Double insulation, built-in type; Other information refers to Attachment 6 of test report for details

End