

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. This Certificate meets the requirements of a Recognised External Certification Scheme (RECS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Eaglerise Electric & Electronic (China) Co., Ltd		
Address	No.A3 Guicheng Sci-Tech Industrial Park Jianping Road Nanhai District Foshan City Guangdong - China		
Client ID	104313	Global-Mark File Number:	104313-027 System 1 Approval
Certification Number	GMA-510658	Revision Number	00
Certificate Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product Scheme	Global-Mark Electrical Product Safety Certification Scheme	

CERTIFICATE DATES

Certificate Issue Date	24/08/2021
Certificate Last Update Date	
Certification Expiry Date	24/08/2026

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-150 SB	Input: 220-240 V~, 50/60 Hz, 0.07A max., λ :0.5C; Output: 4-12Vdc, 24Vdc max, 150mA, 1.8W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-200 SB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ :0.5C; Output: 4-12Vdc, 24Vdc max, 200mA, 2.4W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-250 SB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ :0.5C; Output: 4-12Vdc, 24Vdc max, 250mA, 3W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-300 SB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ :0.5C; Output: 2.5-12Vdc, 24Vdc max, 300mA, 3.6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-350 SB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ :0.5C; Output: 2.5-12Vdc, 24Vdc max, 350mA, 4.2W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-400 SB	Input: 220-240 V~, 50/60 Hz, 0.07A max., λ :0.5C; Output: 2.5-8Vdc, 16Vdc max, 400mA, 3.2W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-450 SB	Input: 220-240 V~, 50/60 Hz, 0.07A max., λ :0.5C; Output: 2.5-8Vdc, 16Vdc max, 450mA, 3.6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-500 SB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ :0.5C; Output: 2.5-8Vdc, 16Vdc max, 500mA, 4W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-550 SB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ :0.5C; Output: 2.5-6Vdc, 16Vdc max, 550mA, 3.3W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-600 SB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ :0.5C; Output: 2.5-6Vdc, 16Vdc max, 600mA, 3.6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-650 SB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ :0.5C; Output: 2.5-4.5Vdc, 10Vdc max, 650mA, 2.9W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-3-700 SB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ :0.5C; Output: 2.5-4.5Vdc, 10Vdc max, 700mA, 3.2W max.

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-120 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 8.5-40Vdc, 59Vdc max, 120mA, 4.8W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-150 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 8.5-40Vdc, 59Vdc max, 150mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-200 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 7.5-30Vdc, 45Vdc max, 200mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-250 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 5-24Vdc, 35Vdc max, 250mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-300 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 5-20Vdc, 34Vdc max, 300mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-350 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 5-18Vdc, 25Vdc max, 350mA, 6.3W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-400 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 5-15Vdc, 25Vdc max, 400mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-450 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 5-13.5Vdc, 24Vdc max, 450mA, 6.1W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-500 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 2.8-12Vdc, 23Vdc max, 500mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-550 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 2.8-11Vdc, 22Vdc max, 550mA, 6.1W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-600 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 2.5-10Vdc, 25Vdc max, 600mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-650 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 2.5-9.5Vdc, 25Vdc max, 650mA, 6.2W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-700 SB	Input: 220-240 V~, 50/60 Hz, 0.11 A max., λ :0.5C; Output: 2.5-9Vdc, 25Vdc max, 700mA, 6.3W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-120 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ :0.7C; Output: 8.5-40Vdc, 59Vdc max, 120mA, 4.8W max.

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-150 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 8.5-40Vdc, 59Vdc max, 150mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-200 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 7.5-30Vdc, 45Vdc max, 200mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-250 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 5-24Vdc, 35Vdc max, 250mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-300 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 5-20Vdc, 34Vdc max, 300mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-350 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 5-18Vdc, 25Vdc max, 350mA, 6.3W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-400 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 5-15Vdc, 25Vdc max, 400mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-450 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 5-13.5Vdc, 24Vdc max, 450mA, 6.1W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-500 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 2.8-12Vdc, 23Vdc max, 500mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-550 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 2.8-11Vdc, 22Vdc max, 550mA, 6.1W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-600 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 2.5-10Vdc, 25Vdc max, 600mA, 6W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-650 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 2.5-9.5Vdc, 25Vdc max, 650mA, 6.2W max.
Non declared	LED Power Supply	Eaglerise Electric & Electronic (China) Co., Ltd.	LS-6-700 MB	Input: 220-240 V~, 50/60 Hz, 0.07 A max., λ:0.7C; Output: 2.5-9Vdc, 25Vdc max, 700mA, 6.3W max.

RELEVANT TRADEMARK (S)

--

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Nil

End of document



This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

