

Certificate of Conformity

. Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of NSW Recognised External Approval Scheme (REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Foshan Eaglerise Power Science & Technology (Shunde) Co.,Ltd	Other Name	
Address	No 4 East Huanzhen Road, Beijiao Shunde, Foshan Guangdong 528000 China		
Client ID	107687	Global-Mark File Number:	107687-038
Certification and Authorized Mark Number	GMA-514834-EA	Revision Number	00
Certification Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

CERTIFICATE DATES

Certificate Issue Date	7/03/2023
Certificate Last Update Date	
Certification Expiry Date	7/03/2028

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-500 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 70-100Vdc, 118Vdc max, 50W / 500mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-550 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 63-90Vdc, 110Vdc max, 49.5W / 550mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-600 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 56-80Vdc, 100Vdc max, 48W / 600mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-650 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 52-76Vdc, 95Vdc max, 49.4W / 650mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-700 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 50-72Vdc, 90Vdc max, 50.4W / 700mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-750 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 45-67Vdc, 80Vdc max, 50.3W / 750mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-800 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 42-63Vdc, 78Vdc max, 50.4W / 800mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-850 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 40-59Vdc, 75Vdc max, 50.2W / 850mA ta: 45°C, tc: 75°C

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-900 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 38-56Vdc, 70Vdc max, 50.4W / 900mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-950 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 35-52Vdc, 65Vdc max, 49.4W / 950mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-1000 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 35-50Vdc, 62Vdc max, 50W / 1000mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-1050 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 32-48Vdc, 60Vdc max, 50.4W / 1050mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-1100 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 30-45Vdc, 58Vdc max, 49.5W / 1100mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-1150 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 28-42Vdc, 55Vdc max, 48.3W / 1150mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-50-1200 LI2	Input: 220-240 Vac, 50/60 Hz, 0.37 A max. λ : 0.95 Output: 28-42Vdc, 55Vdc max, 50.4W / 1200mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-600 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max. λ : 0.95 Output: 70-100Vdc, 118Vdc max, 60W / 600mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-650 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max. λ : 0.95 Output: 63-92Vdc, 110Vdc max, 59.8W / 650mA ta: 45°C, tc: 75°C

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-700 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max. λ : 0.95 Output: 60-86Vdc, 106Vdc max, 60.2W / 700mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-750 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max. λ : 0.95 Output: 56-80Vdc, 100Vdc max, 60W / 750mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-800 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max. λ : 0.95 Output: 52-75Vdc, 95Vdc max, 60W / 800mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-850 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max. λ : 0.95 Output: 48-70Vdc, 90Vdc max, 59.5W / 850mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-900 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max. λ : 0.95 Output: 45-67Vdc, 85Vdc max, 60.3W / 900mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-950 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max. λ : 0.95 Output: 42-63Vdc, 80Vdc max, 59.9W / 950mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-1000 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max. λ : 0.95 Output: 40-60Vdc, 75Vdc max, 60W / 1000mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-1050 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max. λ : 0.95 Output: 40-58Vdc, 75Vdc max, 60.9W / 1050mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-1100 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max. λ : 0.95 Output: 38-55Vdc, 70Vdc max, 60.5W / 1100mA ta: 45°C, tc: 75°C

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





global-mark®

Certificate of Conformity

Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-1150 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max.λ: 0.95 Output: 35-52Vdc, 65Vdc max, 59.8W / 1150mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-1200 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max.λ: 0.95 Output: 35-50Vdc, 63Vdc max, 60W / 1200mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-1250 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max.λ: 0.95 Output: 32-48Vdc, 60Vdc max, 60W / 1250mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-1300 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max.λ: 0.95 Output: 32-46Vdc, 60Vdc max, 59.8W / 1300mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-1350 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max.λ: 0.95 Output: 30-45Vdc, 58Vdc max, 60.8W / 1350mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-1400 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max.λ: 0.95 Output: 28-42Vdc, 55Vdc max, 58.8W / 1400mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-1450 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max.λ: 0.95 Output: 28-42Vdc, 55Vdc max, 60.9W / 1450mA ta: 45°C, tc: 75°C
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-60-1500 LI2	Input: 220-240 Vac, 50/60 Hz, 0.47 A max.λ: 0.95 Output: 28-41Vdc, 55Vdc max, 61.5W / 1500mA ta: 45°C, tc: 75°C

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER

Certificate of Conformity

Classified as NON-IC - Not suitable for residential installation

End of document



This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

