

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. This Certificate meets the requirements of a Recognised External Certification Scheme (RECS).

CERTIFICATION AND	CERTIFICATE HOLDER DETAILS

Company Name Foshan Eaglerise Power Science & Technology Other Name

(Shunde) Co.,Ltd

Address No 4, East Huanzhen Road, Beijiao Shunde, Foshan Guangdong 528000 China

Client ID 107687 Global-Mark File Number: 107687-037

Certification Number GMA-514625 Revision Number 00

Certificate Standard(s) AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C

Or A.C Supplied Electronic Control Gear For Led Modules.

CERTIFICATE DATES

Certificate Issue Date 20/01/2023

Certificate Last Update Date

Certification Expiry Date 20/01/2028

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager







System 1 Approval



CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	LED Power Supply	EAGLERISE	FMS-35-750 LD1	Input:220-240 Vac,50/60 Hz,0.25A max., λ:0.65C-0.95 Output: 15-52Vdc, 60Vdc max, 400mA, 20.8W /450mA, 23.4W /500mA, 26W /550mA, 28.6W/600mA, 31.2W /650mA,33.8W /700mA, 36.4W/750mA,39W ta:50°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	FMS-35-750 LD-TP	Input:220-240 Vac,50/60 Hz,0.25A max., λ:0.65C-0.95 Output: 15-52Vdc, 60Vdc max, 400mA, 20.8W /450mA, 23.4W /500mA, 26W /550mA, 28.6W/600mA, 31.2W /650mA,33.8W /700mA, 36.4W/750mA,39W ta:50°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	FMS-55-1050 LD1	Input: 220-240 Vac, 50/60 Hz, 0.4A max., λ:0.85C-0.95 Output: 30-52Vdc, 63Vdc max, 700mA, 36.4W /750mA, 39W /800mA, 41.6W /850mA, 44.2W/900mA, 46.8W /950mA, 49.4W /1000mA, 52W/1050mA, 54.6W ta: 50°C, tc: 75°C
Non declared	LED Power Supply	EAGLERISE	FMS-55-1050 LD-TP	Input:220-240 Vac,50/60 Hz,0.4A max., λ:0.85C-0.95 Output: 30-52Vdc, 63Vdc max, 700mA, 36.4W /750mA,39W /800mA, 41.6W /850mA, 44.2W/900mA,46.8W /950mA,49.4W /1000mA, 52W/1050mA,54.6W ta:50°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	MS-12-200 LI-TP	Input: 220-240 Vac, 50/60 Hz, 0.073A max., λ:0.8C-0.95 Output: 24-42Vdc, 55Vdc max, 200mA, 8.4W ta:60°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	MS-12-230 LI-TP	Input: 220-240 Vac, 50/60 Hz, 0.073A max., λ:0.8C-0.95 Output: 24-42Vdc, 55Vdc max, 230mA, 9.66W ta: 60°C, tc: 75°C

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.











Non declared	LED Power Supply	EAGLERISE	MS-12-250 LI-TP	Input:220-240 Vac,50/60 Hz,0.073A max., λ:0.8C-0.95 Output: 24-42Vdc, 55Vdc max, 250mA, 10.5W ta:60°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	MS-12-300 LI-TP	Input:220-240 Vac,50/60 Hz,0.073A max., λ:0.8C-0.95 Output: 24-42Vdc, 55Vdc max,300mA, 12.6W ta:60°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	MS-12-350 LI-TP	Input:220-240 Vac,50/60 Hz,0.073A max., λ:0.8C-0.95 Output: 24-40Vdc, 55Vdc max,350mA,14W ta:60°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	MS-20-400 LI-TP	Input:220-240 Vac,50/60 Hz,0.124A max., λ:0.9C-0.95 Output: 24-42Vdc, 55Vdc max, 400mA, 16.8W ta:60°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	MS-20-420 LI-TP	Input: 220-240 Vac, 50/60 Hz, 0.124A max., λ:0.9C-0.95 Output: 24-42Vdc, 55Vdc max, 420mA, 17.64W ta:60°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	MS-20-450 LI-TP	Input:220-240 Vac,50/60 Hz,0.124A max., λ:0.9C-0.95 Output: 24-42Vdc, 55Vdc max, 450mA, 18.9W ta:60°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	MS-20-500 LI-TP	Input:220-240 Vac,50/60 Hz,0.124A max., λ :0.9C-0.95 Output: 24-42Vdc, 55Vdc max, 500mA, 21W ta:60°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	MS-20-550 LI-TP	Input:220-240 Vac,50/60 Hz,0.124A max., λ :0.9C-0.95 Output: 24-40Vdc, 55Vdc max,550mA,22W ta:60°C, tc:75°C
Non declared	LED Power Supply	EAGLERISE	MS-40-600 LI-TP	Input:220-240 Vac,50/60 Hz,0.25A max., λ:0.9C-0.95 Output: 24-42Vdc, 55Vdc max, 600mA, 25.2W ta:60°C, tc:80°C

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.











Non declared	LED Power Supply	EAGLERISE	MS-40-650 LI-TP	Input:220-240 Vac,50/60 Hz,0.25A max., λ:0.9C-0.95 Output: 24-42Vdc, 55Vdc max, 650mA,27.3W ta:60°C, tc:80°C
Non declared	LED Power Supply	EAGLERISE	MS-40-700 LI-TP	Input:220-240 Vac,50/60 Hz,0.25Aλ:0.9C-0.95 Output: 24-42Vdc, 55Vdc max, 700mA, 29.4W ta:60°C, tc:80°C
Non declared	LED Power Supply	EAGLERISE	MS-40-750 LI-TP	Input:220-240 Vac,50/60 Hz,0.25A max., λ:0.9C-0.95 Output: 24-42Vdc, 55Vdc max, 750mA, 31.5W ta:60°C, tc:80°C
Non declared	LED Power Supply	EAGLERISE	MS-40-800 LI-TP	Input:220-240 Vac,50/60 Hz,0.25A max., λ:0.9C-0.95 Output: 24-42Vdc, 55Vdc max, 800mA,33.6W ta:60°C, tc:80°C
Non declared	LED Power Supply	EAGLERISE	MS-40-850 LI-TP	Input:220-240 Vac,50/60 Hz,0.25A max., λ:0.9C-0.95 Output: 24-42Vdc, 55Vdc max, 850mA,35.7W ta:60°C, tc:80°C
Non declared	LED Power Supply	EAGLERISE	MS-40-900 LI-TP	Input:220-240 Vac,50/60 Hz,0.25A max., λ;0.9C-0.95 Output: 24-42Vdc, 55Vdc max,900mA,37.8W ta:60°C, tc:80°C
Non declared	LED Power Supply	EAGLERISE	MS-40-950 LI-TP	Input:220-240 Vac,50/60 Hz,0.25A max., λ:0.9C-0.95 Output: 24-42Vdc, 55Vdc max,950mA,39.9W ta:60°C, tc:80°C
Non declared	LED Power Supply	EAGLERISE	MS-40-1000 LI-TP	Input:220-240 Vac,50/60 Hz,0.25A max., λ:0.9C-0.95 Output: 24-40Vdc, 55Vdc max,1000mA,40W ta:60°C, tc:80°C
Non declared	LED Power Supply	EAGLERISE	MS-60-1050 LI-TP	Input:220-240 Vac,50/60 Hz,0.38A max., λ:0.95 Output: 28-52Vdc, 59Vdc max, 1050mA, 54.6W ta:60°C, tc:85°C

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.











Non declared	LED Power Supply	EAGLERISE	MS-60-1100 LI-TP	Input:220-240 Vac,50/60 Hz,0.38A max., λ:0.95
I von deciared	EED Tower suppry	ENGELIGE	NIS-00-1100 EI-11	Output: 28-52Vdc, 59Vdc max, 1100mA,57.2W
				ta:60°C, tc:85°C
Non declared	LED D C 1	EAGLERISE	MS-60-1150 LI-TP	
Non declared	LED Power Supply	EAGLERISE	MS-60-1130 LI-1P	Input:220-240 Vac,50/60 Hz,0.38A max., λ:0.95
				Output: 28-52Vdc, 59Vdc max, 1150mA, 59.8W
				ta:60°C, tc:85°C
Non declared	LED Power Supply	EAGLERISE	MS-60-1200 LI-TP	Input:220-240 Vac,50/60 Hz,0.38A max., λ:0.95
				Output: 28-50Vdc, 59Vdc max, 1200mA, 60W
				ta:60°C, tc:85°C
Non declared	LED Power Supply	EAGLERISE	MS-60-1250 LI-TP	Input:220-240 Vac,50/60 Hz,0.38A max., λ:0.95
				Output: 28-48Vdc, 59Vdc max, 1250mA, 60W
				ta:60°C, tc:85°C
Non declared	LED Power Supply	EAGLERISE	MS-60-1300 LI-TP	Input:220-240 Vac,50/60 Hz,0.38A max., λ:0.95
				Output: 24-42Vdc, 55Vdc max, 1300mA, 54.6W
				ta:60°C, tc:85°C
Non declared	LED Power Supply	EAGLERISE	MS-60-1350 LI-TP	Input:220-240 Vac,50/60 Hz,0.38A max., λ:0.95
	117			Output: 24-42Vdc, 55Vdc max, 1350mA, 56.7W
				ta:60°C, tc:85°C
Non declared	LED Power Supply	EAGLERISE	MS-60-1400 LI-TP	Input:220-240 Vac,50/60 Hz,0.38A max., λ:0.95
	117			Output: 24-42Vdc, 55Vdc max, 1400mA, 58.8W
				ta:60°C, tc:85°C
Non declared	LED Power Supply	EAGLERISE	MS-60-1450 LI-TP	Input:220-240 Vac,50/60 Hz,0.38A max., λ:0.95
	11 7			Output: 24-42Vdc, 55Vdc max, 1450mA, 60.9W
		<u></u>		ta:60°C, tc:85°C
Non declared	LED Power Supply	EAGLERISE	MS-60-1500 LI-TP	Input: 220-240 Vac, 50/60 Hz, 0.38A max., λ:0.95
11011 declared	EED Tower Suppry	LAGELIGE	M5-00-1500 E1-11	
				Output: 24-40Vdc, 55Vdc max, 1500mA, 60W
L				ta:60°C, tc:85°C

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.











RELEVANT TRADEMARK (S)					
				4	

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Built-ir

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.







