

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Regulatory Compliance Mark (RCM) mark to products of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – **This Certificate meets the requirements of a Recognised External Certification Scheme (RECS) including the rules of the EESS.**

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Eaglerise Electric & Electronic (China) Co., Ltd		
Address	No.A3 Guicheng Sci-Tech Industrial Park Jianping Road Nanhai District Foshan City Guangdong - China		
Client ID	104313	Global-Mark File Number:	104313-019 System 1 Approval
Certification Number	GMA-507055	Revision Number	00
Certificate Standard(s)	AS 61347.2.13:2018 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product <i>Scheme</i>	Global-Mark Electrical Product Safety Certification Scheme	

CERTIFICATE DATES

Certificate Issue Date	31/03/2020
Certificate Last Update Date	
Certification Expiry Date	31/03/2025

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager



Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	Built in LED Power supply	EAGLERISE	SS-6-700 SB1	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 700mA, 2.8-9Vdc, 18Vdc max, 6.3W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-300 SB1	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 300mA, 10-20Vdc, 30Vdc max, 6W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-350 SB1	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 350mA, 12-20Vdc, 30Vdc max, 7W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-400 SB1	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 400mA, 8-15Vdc, 25Vdc max, 6W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-450 SB1	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 450mA, 7-13.5Vdc, 23Vdc max, 6.1W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-500 SB1	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 500mA, 6-12Vdc, 22Vdc max, 6W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-550 SB1	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 550mA, 5.5-11Vdc, 20Vdc max, 6.1W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-600 SB1	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 600mA, 5.5-10Vdc, 20Vdc max, 6W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-650 SB1	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 650mA, 5.5-9.5Vdc, 18Vdc max, 6.2W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-150 SB2	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 150mA, 20-40Vdc, 60Vdc max, 6W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-200 SB2	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 200mA, 15-30Vdc, 45Vdc max, 6W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-250 SB2	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 250mA, 12-24Vdc, 35Vdc max, 6W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-300 SB2	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 300mA, 10-20Vdc, 30Vdc max, 6W Max.

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager




Certificate of Suitability

Non declared	Built in LED Power supply	EAGLERISE	SS-6-350 SB2	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 350mA, 12-21Vdc, 30Vdc max, 7.4W
Non declared	Built in LED Power supply	EAGLERISE	SS-6-400 SB2	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 400mA, 8-15Vdc, 25Vdc max, 6W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-450 SB2	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 450mA, 7-13.5Vdc, 23Vdc max, 6.1W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-500 SB2	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 500mA, 2.8-12Vdc, 23Vdc max, 6W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-600 SB2	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 600mA, 2.5-10Vdc, 16Vdc max, 6W Max.
Non declared	Built in LED Power supply	EAGLERISE	SS-6-700 SB2	Input: 220-240VAC; 50/60Hz; 0.11A max; Output: 700mA, 2.5-9Vdc, 16Vdc max, 6.3W Max.

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Nil

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager


