



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2023011002552018

Valid from: Jun.20,2023

Valid until: May.04,2028

NAME AND REGISTERED ADDRESS OF THE APPLICANT	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
NAME AND LOCATION OF THE FACTORY	Eaglerise Electric & Electronic (Ji An) Co., Ltd. Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An County, Jiangxi Province, P.R.China
PRODUCT MODEL(S)	A.C. Supplied Electronic Controlgear For LED Modules (Built-in, Constant Current Mode, SELV, ta :60°C , tc : 75°C , Temperature Declared Thermally Protected: 110°C) See Appendix. 220-240V ~ 50/60Hz
STANDARDS AND TECHNICAL REQUIREMENTS	GB 17625.1-2022;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002552018

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	型号	技术参数
1	MS-12-200 LI	输出: 200mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 8.4W
2	MS-12-230 LI	输出: 230mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 9.66W
3	MS-12-250 LI	输出: 250mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 10.5W
4	MS-12-300 LI	输出: 300mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 12.6W
5	MS-12-350 LI	输出: 350mA (恒流), 24-40V _{DC} , Max. 55V _{DC} , Max. 14W
6	MS-20-400 LI	输出: 400mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 16.8W
7	MS-20-420 LI	输出: 420mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 17.64W
8	MS-20-450 LI	输出: 450mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 18.9W
9	MS-20-500 LI	输出: 500mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 21W
10	MS-20-550 LI	输出: 550mA (恒流), 24-40V _{DC} , Max. 55V _{DC} , Max. 22W
11	MS-12-200 LI-TP	输出: 200mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 8.4W
12	MS-12-230 LI-TP	输出: 230mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 9.66W
13	MS-12-250 LI-TP	输出: 250mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 10.5W
14	MS-12-300 LI-TP	输出: 300mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 12.6W
15	MS-12-350 LI-TP	输出: 350mA (恒流), 24-40V _{DC} , Max. 55V _{DC} , Max. 14W
16	MS-20-400 LI-TP	输出: 400mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 16.8W
17	MS-20-420 LI-TP	输出: 420mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 17.64W
18	MS-20-450 LI-TP	输出: 450mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 18.9W
19	MS-20-500 LI-TP	输出: 500mA (恒流), 24-42V _{DC} , Max. 55V _{DC} , Max. 21W
20	MS-20-550 LI-TP	输出: 550mA (恒流), 24-40V _{DC} , Max. 55V _{DC} , Max. 22W

输入: 220-240V~, 50/60Hz

以上型号在正常工作状态下, 输入功率均小于 25W。



CHINA QUALITY CERTIFICATION CENTRE