



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2023011002559047

Valid from: Jul.21,2023

Valid until: May.03,2028

NAME AND REGISTERED ADDRESS OF THE APPLICANT	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
NAME AND LOCATION OF THE FACTORY	Eaglerise Electric & Electronic (Ji An) Co., Ltd. Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An County, Jiangxi Province, P.R.China
PRODUCT MODEL(S)	A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV, IP20, Class II, Non-dimmable/Controlled Port Dimming, ta: 40/45 °C, tc: 85 °C, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C) See Appendix; 220-240V~ 50/60Hz.
STANDARDS AND TECHNICAL REQUIREMENTS	GB 17625.1-2022;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002559047

page 1 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出参数				ta(°C)	tc(°C)	备注				
	输出电流 (mA)	输出电压 (Vdc)	空载输出 电压 (Vdc)	输出功率 Max.(W)							
FLS-42-1050 LD PRO	150	2.5-42	59	6.3	45	85	不可调光； 通过拨码开 关调节输出 参数				
	200										
	250										
	300										
	350										
	400										
	500										
	600										
	700										
	750										
	800										
	850										
	900										
	950										
1000	2.5-40			42.0	40						
1050				42.0							
FLS-42-1050 DALI-2 LD PRO	300	9-49	60	14.7	45	85	控制端口调 光；通过拨 码开关调节 输出参数				
	350										
	400										
	450										
	500										
	550	2.5-45							24.8		
	600										
	650										
	700										



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002559047

page2of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

	750			33.8			
	800			36.0			
	850			38.3			
	900			40.5			
	950	2.5-42		39.9			
	1000	42.0		40			
	1050	2.5-40					
FLS-30-700 DALI-2 LD PRO	150	9-49	60	7.35	45	85	控制端口调光；通过拨码开关调节输出参数
	200			9.8			
	250			12.25			
	300			14.7			
	350			17.15			
	400	2.5-45		18			
	450			20.25			
	500			22.5			
	550			24.75			
	600			27			
	650			29.25			
	700	2.5-42		29.4			

输入：220-240V~ 50/60Hz



CHINA QUALITY CERTIFICATION CENTRE