



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2023011002558351

Valid from: Jul.19,2023

Valid until: May.03,2028

NAME AND REGISTERED ADDRESS OF THE APPLICANT	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
NAME AND LOCATION OF THE FACTORY	Eaglerise Electric & Electronic (Ji An) Co., Ltd. Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An County, Jiangxi Province, P.R.China
PRODUCT MODEL(S)	A.C. Supplied Electronic Controlgear For LED Modules (Built-in, Constant Current Mode, SELV, Non-dimming/Controlled Port Dimming, ta: 40/45°C, tc: 85°C, Temperature Declared Thermally Protected: 110°C) See Appendix; 220-240V~ 50/60Hz.
STANDARDS AND TECHNICAL REQUIREMENTS	GB 17625.1-2022;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002558351

page 1 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

型号	输出参数				ta(°C)	tc(°C)	备注
	输出电流 (mA)	输出电压 (Vdc)	空载输出 电压 (Vdc)	输出功率 Max.(W)			
FLS-42-1050 LD PRO	150	2.5-42	59	6.3	45	85	不可调光； 通过拨码开 关调节输出 参数
	200			8.4			
	250			10.5			
	300			12.6			
	350			14.7			
	400			16.8			
	500			21.0			
	600			25.2			
	700			29.4			
	750			31.5			
	800			33.6			
	850			35.7			
	900			37.8			
	950			39.9			
	1000	42.0					
	1050	2.5-40		42.0	40		
FLS-42-1050 DALI-2 LD PRO	300	9-49	60	14.7	45	85	控制端口调 光；通过拨 码开关调节 输出参数
	350			17.2			
	400			19.6			
	450			22.1			
	500			24.5			
	550	24.8					
	600	27.0					
	650	29.3					
	700	31.5					
		2.5-45					



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002558351

page2of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

	750	2.5-42	60	33.8	40	85	控制端口调光；通过拨码开关调节输出参数	
	800			36.0				
	850			38.3				
	900			40.5				
	950			39.9				
	1000			42.0				
	1050			42.0				
FLS-30-700 DALI-2 LD PRO	150	9-49	60	7.35	45	85	控制端口调光；通过拨码开关调节输出参数	
	200			9.8				
	250			12.25				
	300			14.7				
	350			17.15				
	400	2.5-45		18				
	450			20.25				
	500			22.5				
	550			24.75				
	600			27				
	650			29.25				
	700			2.5-42				29.4

输入：220-240V~ 50/60Hz



CHINA QUALITY CERTIFICATION CENTRE