

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Foshan Eaglerise Power Science & Technology (Shunde) Co.,Ltd	Other Name	
Address	No 4 East Huanzhen Road, Beijiao Shunde, Foshan Guangdong 528000 China		
Client ID	107687	Global-Mark File Number:	107687-028
Certificate Number & Approval Mark	GMA-512728-EA	Revision Number	00
Certification Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme
			System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	13/06/2022
Certificate Last Update Date	
Certification Expiry Date	13/06/2027

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Henri Hobas



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-21-300 SI1	Input: 220-240 V~, 50/60 Hz, 0.3A max., λ : 0.5C; Output: 42-70Vdc, 80Vdc max, 300mA, 21W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-21-350 SI1	Input: 220-240 V~, 50/60 Hz, 0.3A max., λ : 0.5C; Output: 36-60Vdc, 70Vdc max, 350mA, 21W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-21-400 SI1	Input: 220-240 V~, 50/60 Hz, 0.3A max., λ : 0.5C; Output: 30-50Vdc, 60Vdc max, 400mA, 20W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-21-450 SI1	Input: 220-240 V~, 50/60 Hz, 0.3A max., λ : 0.5C; Output: 28-46.5Vdc, 57Vdc max, 450mA, 21W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-21-500 SI1	Input: 220-240 V~, 50/60 Hz, 0.3A max., λ : 0.5C; Output: 25-42Vdc, 50Vdc max, 500mA, 21W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-21-550 SI1	Input: 220-240 V~, 50/60 Hz, 0.3A max., λ : 0.5C; Output: 23-38Vdc, 50Vdc max, 550mA, 21W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-21-600 SI1	Input: 220-240 V~, 50/60 Hz, 0.3A max., λ : 0.5C; Output: 21-35Vdc, 45Vdc max, 600mA, 21W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-21-650 SI1	Input: 220-240 V~, 50/60 Hz, 0.3A max., λ : 0.5C; Output: 19.5-32Vdc, 42Vdc max, 650mA, 21W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-21-700 SI1	Input: 220-240 V~, 50/60 Hz, 0.3A max., λ : 0.5C; Output: 18-30Vdc, 40Vdc max, 700mA, 21W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-21-600 SI-1	Input: 220-240 V~, 50/60 Hz, 0.3A max., λ : 0.5C; Output: 24-39Vdc, 48Vdc max, 600mA, 23.4W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-120 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.08A max., λ : 0.5; Output: 30-42Vdc, 50Vdc max, 120mA, 5.1W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-150 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.09A max., λ : 0.5; Output: 30-42Vdc, 56Vdc max, 150mA, 6.3W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-180 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.11A max., λ : 0.5; Output: 30-42Vdc, 56Vdc max, 180mA, 7.6W max.

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Henri Hobbs



global-mark®

Certificate of Conformity

Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-200 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 30-42Vdc, 56Vdc max, 200mA, 8.4W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-250 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.1A max., λ : 0.5; Output: 16-26Vdc, 35Vdc max, 250mA, 6.5W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-300 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.1A max., λ : 0.5; Output: 14-24Vdc, 40Vdc max, 300mA, 7.2W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-350 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 11-24Vdc, 34Vdc max, 350mA, 8.4W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-400 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 10-20Vdc, 28Vdc max, 400mA, 8W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-450 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 10-18Vdc, 28Vdc max, 450mA, 8.1W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-500 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 8-16Vdc, 25Vdc max, 500mA, 8W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-550 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 7-14Vdc, 25Vdc max, 550mA, 7.7W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-600 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 5.5-13Vdc, 25Vdc max, 600mA, 7.8W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-250 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.15A max., λ : 0.5; Output: 30-42Vdc, 56Vdc max, 250mA, 10.5W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-300 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.18A max., λ : 0.5; Output: 30-42Vdc, 56Vdc max, 300mA, 12.6W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-350 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.2A max., λ : 0.5; Output: 22-40Vdc, 55Vdc max, 350mA, 14W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-400 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.18A max., λ : 0.5; Output: 20-30Vdc, 40Vdc max, 400mA, 12W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-450 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.18A max., λ : 0.5; Output: 16-26Vdc, 35Vdc max, 450mA, 11.7W max.

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager





global-mark®

Certificate of Conformity

Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-500 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.19A max., λ : 0.5; Output: 14-26Vdc, 35Vdc max, 500mA, 13W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-550 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.19A max., λ : 0.5; Output: 12-21Vdc, 32Vdc max, 550mA, 11.6W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-600 SI2-1	Input: 220-240 V~, 50/60 Hz, 0.19A max., λ : 0.5; Output: 11-20Vdc, 31Vdc max, 600mA, 12W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-120 SI2	Input: 220-240 V~, 50/60 Hz, 0.08A max., λ : 0.5; Output: 30-42Vdc, 50Vdc max, 120mA, 5.1W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-150 SI2	Input: 220-240 V~, 50/60 Hz, 0.09A max., λ : 0.5; Output: 30-42Vdc, 56Vdc max, 150mA, 6.3W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-180 SI2	Input: 220-240 V~, 50/60 Hz, 0.11A max., λ : 0.5; Output: 30-42Vdc, 56Vdc max, 180mA, 7.6W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-200 SI2	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 30-42Vdc, 56Vdc max, 200mA, 8.4W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-250 SI2	Input: 220-240 V~, 50/60 Hz, 0.1A max., λ : 0.5; Output: 16-26Vdc, 35Vdc max, 250mA, 6.5W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-300 SI2	Input: 220-240 V~, 50/60 Hz, 0.1A max., λ : 0.5; Output: 14-24Vdc, 40Vdc max, 300mA, 7.2W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-350 SI2	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 11-24Vdc, 34Vdc max, 350mA, 8.4W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-400 SI2	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 10-20Vdc, 28Vdc max, 400mA, 8W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-450 SI2	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 10-18Vdc, 28Vdc max, 450mA, 8.1W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-500 SI2	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 8-16Vdc, 25Vdc max, 500mA, 8W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-550 SI2	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 7-14Vdc, 25Vdc max, 550mA, 7.7W max.

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Henri Hobbs



Certificate of Conformity

Power Supply or Charger	LED Power Supply	EAGLERISE	LS-8-600 SI2	Input: 220-240 V~, 50/60 Hz, 0.12A max., λ : 0.5; Output: 5.5-13Vdc, 25Vdc max, 600mA, 7.8W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-250 SI2	Input: 220-240 V~, 50/60 Hz, 0.15A max., λ : 0.5; Output: 30-42Vdc, 56Vdc max, 250mA, 10.5W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-300 SI2	Input: 220-240 V~, 50/60 Hz, 0.18A max., λ : 0.5; Output: 30-42Vdc, 56Vdc max, 300mA, 12.6W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-350 SI2	Input: 220-240 V~, 50/60 Hz, 0.2A max., λ : 0.5; Output: 22-40Vdc, 55Vdc max, 350mA, 14W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-400 SI2	Input: 220-240 V~, 50/60 Hz, 0.18A max., λ : 0.5; Output: 20-30Vdc, 40Vdc max, 400mA, 12W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-450 SI2	Input: 220-240 V~, 50/60 Hz, 0.18A max., λ : 0.5; Output: 16-26Vdc, 35Vdc max, 450mA, 11.7W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-500 SI2	Input: 220-240 V~, 50/60 Hz, 0.19A max., λ : 0.5; Output: 14-26Vdc, 35Vdc max, 500mA, 13W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-550 SI2	Input: 220-240 V~, 50/60 Hz, 0.19A max., λ : 0.5; Output: 12-21Vdc, 32Vdc max, 550mA, 11.6W max.
Power Supply or Charger	LED Power Supply	EAGLERISE	LS-12-600 SI2	Input: 220-240 V~, 50/60 Hz, 0.19A max., λ : 0.5; Output: 11-20Vdc, 31Vdc max, 600mA, 12W max.

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Classified as do not cover

End of document

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jas-anz.org/register for verification.



Certification Manager

Henri Hobbs