



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

**CERTIFICATE NO.:** 2023011002573731

**Valid from:** Sep.21,2023

**Valid until:** Sep.20,2028

<b>NAME AND REGISTERED ADDRESS OF THE APPLICANT</b>	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
<b>NAME AND REGISTERED ADDRESS OF THE MANUFACTURER</b>	Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China
<b>NAME AND LOCATION OF THE FACTORY</b>	Eaglerise Electric & Electronic (Ji An) Co., Ltd. Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An County, Jiangxi Province, P.R.China
<b>PRODUCT MODEL(S)</b>	A.C. Supplied Electronic Controlgear For LED Modules ( Independent, Constant Current Mode, SELV, Non-dimmable, ta:45/50°C, tc:65/75°C, Class II, IP20, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C ) See Appendix;220-240V ~ 50/60Hz.
<b>STANDARDS AND TECHNICAL REQUIREMENTS</b>	GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002573731

page 1 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	型号	输入			输出				ta (°C)	tc (°C)
		电压 (V~)	最大 电流 (A)	频率 (Hz)	恒流 (mA)	工作电压 (Vdc)	最大输出 电压 (Vdc)	最大功 率 (W)		
1.	LS-3-150 SI ECO	220-240	0.07	50/60	150	5-12	24	1.8	50	75
2.	LS-3-200 SI ECO	220-240	0.07	50/60	200	5-12	24	2.4	50	75
3.	LS-3-250 SI ECO	220-240	0.07	50/60	250	5-12	24	3	50	75
4.	LS-3-300 SI ECO	220-240	0.07	50/60	300	5-12	24	3.6	50	75
5.	LS-3-350 SI ECO	220-240	0.07	50/60	350	5-12	24	4.2	50	75
6.	LS-3-400 SI ECO	220-240	0.07	50/60	400	2.5-4.5	16	1.8	50	75
7.	LS-3-450 SI ECO	220-240	0.07	50/60	450	2.5-4.5	16	2.03	50	75
8.	LS-3-500 SI ECO	220-240	0.07	50/60	500	2.5-4.5	16	2.25	50	75
9.	LS-3-550 SI ECO	220-240	0.07	50/60	550	2.5-4.5	16	2.48	50	75
10.	LS-3-600 SI ECO	220-240	0.07	50/60	600	2.5-4.5	16	2.7	50	75
11.	LS-3-650 SI ECO	220-240	0.07	50/60	650	2.5-4.5	10	2.9	50	75
12.	LS-3-700 SI ECO	220-240	0.07	50/60	700	2.5-4.5	10	3.15	50	75
13.	LS-3-150 SI E	220-240	0.07	50/60	150	5-12	24	1.8	50	75
14.	LS-3-200 SI E	220-240	0.07	50/60	200	5-12	24	2.4	50	75
15.	LS-3-250 SI E	220-240	0.07	50/60	250	5-12	24	3	50	75
16.	LS-3-300 SI E	220-240	0.07	50/60	300	5-12	24	3.6	50	75
17.	LS-3-350 SI E	220-240	0.07	50/60	350	5-12	24	4.2	50	75
18.	LS-3-400 SI E	220-240	0.07	50/60	400	2.5-4.5	16	1.8	50	75
19.	LS-3-450 SI E	220-240	0.07	50/60	450	2.5-4.5	16	2.03	50	75
20.	LS-3-500 SI E	220-240	0.07	50/60	500	2.5-4.5	16	2.25	50	75
21.	LS-3-550 SI E	220-240	0.07	50/60	550	2.5-4.5	16	2.48	50	75
22.	LS-3-600 SI E	220-240	0.07	50/60	600	2.5-4.5	16	2.7	50	75
23.	LS-3-650 SI E	220-240	0.07	50/60	650	2.5-4.5	10	2.9	50	75
24.	LS-3-700 SI E	220-240	0.07	50/60	700	2.5-4.5	10	3.15	50	75
25.	LS-3-100 SI ECO	220-240	0.11	50/60	100	27-40	59	4	50	75



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002573731

page2of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

序号	型号	输入			输出			ta (°C)	tc (°C)	
		电压 (V~)	最大 电流 (A)	频率 (Hz)	恒流 (mA)	工作电压 (Vdc)	最大输出 电压 (Vdc)			最大功 率 (W)
26.	LS-3-100 SI E	220-240	0.11	50/60	100	27-40	59	4	50	75
27.	LS-3-1150 SI E	220-240	0.04	50/60	1150	2.5-3.2	10	3.68	45	65

1、输入均为：220-240V~ 50/60Hz；



CHINA QUALITY CERTIFICATION CENTRE