



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2023011002547288

Valid from: May.30,2023

Valid until:Nov.24,2027

| | |
|--|---|
| NAME AND REGISTERED ADDRESS OF THE APPLICANT | Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China |
| NAME AND REGISTERED ADDRESS OF THE MANUFACTURER | Eaglerise Electric & Electronic (China) Co., Ltd. No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China |
| NAME AND LOCATION OF THE FACTORY | Eaglerise Electric & Electronic (Ji An) Co., Ltd. Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An County, Jiangxi Province, P.R.China |
| PRODUCT MODEL(S) | A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV, ta:50°C , tc:80°C/85°C, Class II, IP20, Suitable For Direct Mounting On Normally Flammable Material, Temperature Declared Thermally Protected: 110°C) See Appendix;220-240V ~ 50/60Hz. |
| STANDARDS AND TECHNICAL REQUIREMENTS | GB 17625.1-2012;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009 |

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2023011002547288

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

| 型号 | 输入 | | | 输出 | | | | ta(°C) | tc(°C) |
|---------------------------------------|----------|---------|----------|------------|---------|----------|--------------|--------|--------|
| | 电压 (VAC) | 频率 (Hz) | 最大电流 (A) | 输出电压 (VDC) | 恒流 (mA) | 最大功率 (W) | 最大输出电压 (VDC) | | |
| FLS-42-1050 LD1 FLS-42-1050 LD ECO | 220-240 | 50/60 | 0.35 | 24-40 | 900 | 36 | 50 | 50 | 85 |
| 950 | | | | | 38 | | | | |
| 1000 | | | | | 40 | | | | |
| 1050 | | | | | 42 | | | | |
| FLS-38-900 LD1 FLS-38-900 LD ECO | 220-240 | 50/60 | 0.29 | 24-42 | 750 | 31.5 | 50 | 50 | 80 |
| 800 | | | | | 33.6 | | | | |
| 850 | | | | | 35.7 | | | | |
| 900 | | | | | 37.8 | | | | |
| FLS-30-700 LD1 FLS-30-700 LD ECO | 220-240 | 50/60 | 0.22 | 24-42 | 450 | 18.9 | 50 | 50 | 80 |
| 500 | | | | | 21 | | | | |
| 550 | | | | | 23.1 | | | | |
| 600 | | | | | 25.2 | | | | |
| 650 | | | | | 27.3 | | | | |
| 700 | | | | | 29.4 | | | | |
| FLS-24-550 LD1 FLS-24-550 LD ECO | 220-240 | 50/60 | 0.18 | 24-42 | 300 | 12.6 | 50 | 50 | 80 |
| 350 | | | | | 14.7 | | | | |
| 400 | | | | | 16.8 | | | | |
| 450 | | | | | 18.9 | | | | |
| 500 | | | | | 21 | | | | |
| 550 | | | | | 23.1 | | | | |

注：型号命名不一样代表侧盖颜色不一样；LD1 是灰色侧盖，LD ECO 是白色侧盖。



CHINA QUALITY CERTIFICATION CENTRE