

CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022011002516780 Valid from: Jan.04,2023 Valid until: Nov.15,2027

NAME AND REGISTERED

Eaglerise Electric & Electronic (China) Co., Ltd. ADDRESS OF THE APPLICANT

No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong

Province, P.R.China

NAME AND REGISTERED

ADDRESS OF THE **MANUFACTURER** Eaglerise Electric & Electronic (China) Co., Ltd.

No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong

Province, P.R.China

NAME AND LOCATION

Eaglerise Electric & Electronic (Ji An) Co., Ltd.

OF THE FACTORY

Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An County,

Jiangxi Province, P.R.China

PRODUCT MODEL(S) A.C. Supplied Electronic Controlgear For LED Modules (Built-in, Constant Current Mode, SELV,

Non-dimmable, ta:45°C, tc:80°C, Temperature Declared Thermally Protected: 110°C)

See Appendix; 220-240V ~ 50/60Hz.

STANDARDS AND

GB 17625.1-2012;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

TECHNICAL REQUIREMENTS

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



http://www.cqc.com.cn



Tel: +86 10 83886666



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2022011002516780

page 1 of 1

Tel: +86 10 83886666

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

	型号规格	输出参数			
序号		输出电流	输出电压	最大输出电压(Vdc)	输出功率
		(mA)	(Vdc)		(W)
1	FLS-42-1050 LD ADV	300	9-52	63	15.6
		350			18.2
		400			20.8
		450			23.4
		500			26
		550			28.6
		600			31.2
		650			33.8
		700			36.4
		750			39
		800			41.6
		850	9-42		35.7
		900			37.8
		950			39.9
		1000			42
		1050	9-40		42

1、 Input: 220-240V ~ , 50/60Hz , ta:45°C , tc:80°C

