

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

	//						
CERTIFICATION AND CERTIFICATE HOLDER DETAILS							
Company Name	Foshan Eagler	ise Power Scien	ce & Technology	Other Name			
	(Shunde) Co.,	Ltd					
Address	No 4 East Hua	nzhen Road, Be	ijiao Shunde, Foshar	n Guangdong 5280	000 China		
Client ID	107687		Global-Mark File Numbe	er: 107687-051		Syste	m 1 Approval
Certificate Number & Approval Mark	GMA-517652-1	E A			Revision Number	00	
Certification Standard(s)	AS 61347.2.13:	2018 & AS/NZS	61347.1:2016 + A1 La	mp Control Gear	- Part 2-13: Parti	icular Requi	rements For
			ic Control Gear For			Î	
		<u> </u>	cheme Global-Mark		ct Safety Certifica	ation Schem	e

CERTIFICATE DATES						
Certificate Issue Date	5/01/2024					
Certificate Last Update Date						
Certification Expiry Date	5/01/2029					

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Jen'thha







CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-30-12 LI1	Input: 220-240 Vac,50/60 Hz,0.24 A max., Output: 12Vdc, 2.5A, 30W max. ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-30-12 LR1	Input: 220-240 Vac,50/60 Hz,0.24 A max., Output: 12Vdc, 2.5A, 30W max. ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-30-12 LI2	Input: 220-240 Vac,50/60 Hz,0.24 A max., Output: 12Vdc, 2.5A, 30W max. ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-30-12 LR2	Input: 220-240 Vac,50/60 Hz,0.24 A max., Output: 12Vdc, 2.5A, 30W max. ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-30-24 LI1	Input: 220-240 Vac,50/60 Hz,0.24 A max., Output: 24Vdc, 1.25A, 30W max. ta:45°C,tc:85°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-30-24 LR1	Input: 220-240 Vac, 50/60 Hz, 0.24 A max., Output: 24Vdc, 1.25A, 30W max. ta:45°C,tc:85°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-30-24 L12	Input: 220-240 Vac, 50/60 Hz, 0.24 A max., Output: 24Vdc, 1.25A, 30W max. ta:45°C,tc:85°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-30-24 LR2	Input: 220-240 Vac,50/60 Hz,0.24 A max., Output: 24Vdc, 1.25A, 30W max. ta:45°C,tc:85°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-60-12 LI1	Input: 220-240 Vac,50/60 Hz,0.46 A max., Output: 12Vdc, 5A, 60W max. ta:45°C,tc:90°C

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Jen'thom-







	$C \rightarrow V V V V V V V V V V V V V V V V V V $	EACLEDICE	TIC (0 12 LD1	I + 220 240 W F0 / CO II + 0 4 C A
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-60-12 LR1	Input: 220-240 Vac,50/60 Hz,0.46 A max.,
				Output: 12Vdc, 5A, 60W max.
		. A		ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-60-12 LI2	Input: 220-240 Vac,50/60 Hz,0.46 A max.,
				Output: 12Vdc, 5A, 60W max.
				ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-60-12 LR2	Input: 220-240 Vac,50/60 Hz,0.46 A max.,
				Output: 12Vdc, 5A, 60W max.
		7		ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-60-24 LI1	Input: 220-240 Vac,50/60 Hz,0.46 A max.,
				Output: 24Vdc, 2.5A, 60W max.
	. /			ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-60-24 LR1	Input: 220-240 Vac,50/60 Hz,0.46 A max.,
11 7				Output: 24Vdc, 2.5A, 60W max.
				ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-60-24 LI2	Input: 220-240 Vac,50/60 Hz,0.46 A max.,
				Output: 24Vdc, 2.5A, 60W max.
				ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-60-24 LR2	Input: 220-240 Vac, 50/60 Hz, 0.46 A max.,
				Output: 24Vdc, 2.5A, 60W max.
				ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-100-12 LI1	Input: 220-240 Vac,50/60 Hz,0.78 A max.,
				Output: 12Vdc, 8.33A, 100W max.
				ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-100-12 LR1	Input: 220-240 Vac,50/60 Hz,0.78 A max.,
				Output: 12Vdc, 8.33A, 100W max.
				ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-100-12 LI2	Input: 220-240 Vac,50/60 Hz,0.78 A max.,
				Output: 12Vdc, 8.33A, 100W max.
				ta:45°C,tc:90°C

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.











p 0 1 01	C W.L. IED.D C 1	EAGLEDION	TIC 100 12 I D2	I
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-100-12 LR2	Input: 220-240 Vac,50/60 Hz,0.78 A max.,
				Output: 12Vdc, 8.33A, 100W max.
				ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-100-24 LI1	Input: 220-240 Vac,50/60 Hz,0.78 A max.,
			7	Output: 24Vdc, 4.17A, 100W max.
		1		ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-100-24 LR1	Input: 220-240 Vac,50/60 Hz,0.78 A max.,
				Output: 24Vdc, 4.17A, 100W max.
				ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-100-24 LI2	Input: 220-240 Vac,50/60 Hz,0.78 A max.,
				Output: 24Vdc, 4.17A, 100W max.
	. /			ta:45°C,tc:85°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-100-24 LR2	Input: 220-240 Vac,50/60 Hz,0.78 A max.,
				Output: 24Vdc, 4.17A, 100W max.
				ta:45°C,tc:85°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-100-48 LI2	Input: 220-240 Vac,50/60 Hz,0.78 A max.,
				Output: 48Vdc, 2.08A, 100W max.
				ta:45°C,tc:85°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-100-48 LR2	Input: 220-240 Vac,50/60 Hz,0.78 A max.,
				Output: 48Vdc, 2.08A, 100W max.
				ta:45°C,tc:85°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-160-24 LI1	Input: 220-240 Vac,50/60 Hz,1 A max.,
				Output: 24Vdc, 6.67A, 160W max.
				ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-160-24 LR1	Input: 220-240 Vac,50/60 Hz,1 A max.,
				Output: 24Vdc, 6.67A, 160W max.
				ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-160-24 LI2	Input: 220-240 Vac,50/60 Hz,1 A max.,
				Output: 24Vdc, 6.67A, 160W max.
				ta:45°C,tc:80°C

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.









Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-160-24 LR2	Input: 220-240 Vac,50/60 Hz,1 A max., Output: 24Vdc, 6.67A, 160W max. ta:45°C,tc:80°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-160-48 LI2	Input: 220-240 Vac,50/60 Hz,1 A max., Output: 48Vdc, 3.33A, 160W max. ta:45°C,tc:90°C
Power Supply or Charger	Constant Voltage LED Power Supply	EAGLERISE	US-160-48 LR2	Input: 220-240 Vac,50/60 Hz,1 A max., Output: 48Vdc, 3.33A, 160W max. ta:45°C,tc:90°C

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

Classified as Do-not-cover, power supply for lighting purposes for use with class III LED lighting"

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

ferither.



