This translated document does not have legal validity and cannot be used in isolation



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2024011002615655

NAME AND ADDRESS OF THE APPLICANT

Eaglerise Electric & Electronic (China) Co., Ltd.

No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Eaglerise Electric & Electronic (China) Co., Ltd.

No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R.China

NAME AND LOCATION OF THE FACTORY

Eaglerise Electric & Electronic (Ji An) Co., Ltd.

Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An County, Jiangxi Province, P.R.China

PRODUCT NAME, MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent , Constant Current Mode , SELV, Non-dimmable, ta: $45\,^{\circ}$ C, tc: $75\,^{\circ}$ C , Class II , IP20, Suitable For Normally Flammable Material Surfaces, Temperature Declared Thermally Protected: $110\,^{\circ}$ C) See Appendix; $220-240V \sim 50/60$ Hz.

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Mar.25,2024 Valid until: Feb.22,2029

The certificate information and validity could be checked by scanning the QR code below or logging in to the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



中国质量认证中心

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





This translated document does not have legal validity and cannot be used in isolation



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2024011002615655

Appendix: Page 1 of 1

	输出参数					
型号	输出电 流 (mA)	输出 电压(Vdc)	最大空载电 压(Max.Vdc)	输出功率 (Max.W)	ta(°C)	tc(℃)
LS-8-100 SI2 E	100	30-40	59	4	45	75
LS-8-80 SI2 E	80	30-40	59	3.2	45	75
LS-8-70 SI2 E	70	30-40	59	2.8	45	75

输入: 220-240V~50/60Hz

备注:以上型号的实测输入功率均小于 5W。



This page is attached to the certificate and should be used at the same time as the certificate page.



CHINA QUALITY CERTIFICATION CENTRE CO., LTD.