



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

**CERTIFICATE NO.:** 2022011002479568

## NAME AND ADDRESS OF THE APPLICANT

Eaglerise Electric & Electronic (China) Co., Ltd.  
No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong  
Province, P.R.China

## NAME AND ADDRESS OF THE MANUFACTURER

Eaglerise Electric & Electronic (China) Co., Ltd.  
No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong  
Province, P.R.China

## NAME AND LOCATION OF THE FACTORY

Eaglerise Electric & Electronic (Ji An) Co., Ltd.  
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An  
County, Jiangxi Province, P.R.China

## PRODUCT NAME,MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules ( Independent, Constant Current Mode, SELV,  
ta:45°C, tc:80°C, Class II, IP40, Suitable For Normally Flammable Material Surfaces, Temperature  
Declared Thermally Protected: 110°C )  
See Appendix;220-240V ~ 50/60Hz.

## STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of  
implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

**Valid from:** Mar.11,2024

**Valid until:** May.15,2027

Date of original issued: Jun.27,2022

The certificate information and validity could be checked by scanning the QR code below or logging in to  
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

CERTIFICATE NO. : 2022011002479568

Appendix : Page 1 of 3

序号	型号	输入			输出				备注
		电压 (V~)	最大 电流 (A)	频率 (Hz)	恒流 (mA)	工作 电压 (VDC)	最大 输出 电压 (VDC)	最大 功率 (W)	
1	LS-40-600 LI ECO	220-240	0.17	50/60	600	24-42	50	25.2	灰色 侧盖
2	LS-40-650 LI ECO	220-240	0.19	50/60	650	24-42	50	27.3	
3	LS-40-700 LI ECO	220-240	0.2	50/60	700	24-42	50	29.4	
4	LS-40-750 LI ECO	220-240	0.22	50/60	750	24-42	50	31.5	
5	LS-40-800 LI ECO	220-240	0.23	50/60	800	24-42	50	33.6	
6	LS-40-850 LI ECO	220-240	0.25	50/60	850	24-42	50	35.7	
7	LS-40-900 LI ECO	220-240	0.26	50/60	900	24-42	50	37.8	
8	LS-40-950 LI ECO	220-240	0.27	50/60	950	24-42	50	39.9	
9	LS-40-1000 LI ECO	220-240	0.27	50/60	1000	24-40	50	40	
10	LS-40-1050 LI ECO	220-240	0.29	50/60	1050	24-38. 5	52	40.4	
11	LS-40-600 LI-G ECO	220-240	0.17	50/60	600	24-42	50	25.2	
12	LS-40-650 LI-G ECO	220-240	0.19	50/60	650	24-42	50	27.3	

This page is attached to the certificate and should be used at the same time as the certificate page.



**中国质量认证中心**  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

CERTIFICATE NO. : 2022011002479568

Appendix : Page 2 of 3

13	LS-40-700 LI-G ECO	220-240	0.2	50/60	700	24-42	50	29.4	
14	LS-40-750 LI-G ECO	220-240	0.22	50/60	750	24-42	50	31.5	
15	LS-40-800 LI-G ECO	220-240	0.23	50/60	800	24-42	50	33.6	
16	LS-40-850 LI-G ECO	220-240	0.25	50/60	850	24-42	50	35.7	
17	LS-40-900 LI-G ECO	220-240	0.26	50/60	900	24-42	50	37.8	
18	LS-40-950 LI-G ECO	220-240	0.27	50/60	950	24-42	50	39.9	
19	LS-40-1000 LI-G ECO	220-240	0.27	50/60	1000	24-40	50	40	
20	LS-40-1050 LI-G ECO	220-240	0.29	50/60	1050	24-38. 5	52	40.4	
21	LS-40-600 LI ECO-1	220-240	0.17	50/60	600	24-42	50	25.2	白色 侧盖
22	LS-40-650 LI ECO-1	220-240	0.19	50/60	650	24-42	50	27.3	
23	LS-40-700 LI ECO-1	220-240	0.2	50/60	700	24-42	50	29.4	
24	LS-40-750 LI ECO-1	220-240	0.22	50/60	750	24-42	50	31.5	
25	LS-40-800 LI ECO-1	220-240	0.23	50/60	800	24-42	50	33.6	
26	LS-40-850 LI ECO-1	220-240	0.25	50/60	850	24-42	50	35.7	
27	LS-40-900 LI ECO-1	220-240	0.26	50/60	900	24-42	50	37.8	

This page is attached to the certificate and should be used at the same time as the certificate page.



**中国质量认证中心**  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，  
不得单独使用  
This translated document  
does not have legal validity and  
cannot be used in isolation

CERTIFICATE NO. : 2022011002479568

Appendix : Page 3 of 3

28	LS-40-950 LI ECO-1	220-240	0.27	50/60	950	24-42	50	39.9
29	LS-40-1000 LI ECO-1	220-240	0.27	50/60	1000	24-40	50	40
30	LS-40-1050 LI ECO-1	220-240	0.29	50/60	1050	24-38. 5	52	40.4
31	LS-40-600 LI-G ECO-1	220-240	0.17	50/60	600	24-42	50	25.2
32	LS-40-650 LI-G ECO-1	220-240	0.19	50/60	650	24-42	50	27.3
33	LS-40-700 LI-G ECO-1	220-240	0.2	50/60	700	24-42	50	29.4
34	LS-40-750 LI-G ECO-1	220-240	0.22	50/60	750	24-42	50	31.5
35	LS-40-800 LI-G ECO-1	220-240	0.23	50/60	800	24-42	50	33.6
36	LS-40-850 LI-G ECO-1	220-240	0.25	50/60	850	24-42	50	35.7
37	LS-40-900 LI-G ECO-1	220-240	0.26	50/60	900	24-42	50	37.8
38	LS-40-950 LI-G ECO-1	220-240	0.27	50/60	950	24-42	50	39.9
39	LS-40-1000 LI-G ECO-1	220-240	0.27	50/60	1000	24-40	50	40
40	LS-40-1050 LI-G ECO-1	220-240	0.29	50/60	1050	24-38. 5	52	40.4

备注： 以上型号实测输入功率均大于 5W.

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心  
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.