



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2022011002485777

NAME AND ADDRESS OF THE APPLICANT

Eaglerise Electric & Electronic (China) Co., Ltd.
No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong
Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Eaglerise Electric & Electronic (China) Co., Ltd.
No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong
Province, P.R.China

NAME AND LOCATION OF THE FACTORY

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

PRODUCT NAME,MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV,
Controlled Port Dimming, ta:50°C, tc:80°C/90°C, Temperature Declared Thermally Protected: 110°C,
Class II, IP20, Suitable For Direct Mounting On Normally Flammable Material)
See Appendix;220-240V ~ 50/60Hz.

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009
This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Jun.03,2024

Valid until: May.30,2027

Date of original issued: Jul.25,2022

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2022011002485777

Appendix : Page 1 of 2

序号	型号	输出				tc (°C)	备注
		电压 (VDC)	恒流(mA)	功率 (Max.W)	最大电压 (Max.VDC)		
1.	FLS-30-700 DALI-2 LD ECO	24-42	150	6.3	59	80	控制端口调光：DALI、 内置拔码开关 端盖颜色： 白色
			200	8.4			
			250	10.5			
			300	12.6			
			350	14.7			
			400	16.8			
			450	18.9			
			500	21			
			550	23.1			
			600	25.2			
			650	27.3			
2.	FLS-30-700 DALI-2 LD2	24-42	150	6.3	59	80	控制端口调光：DALI、 内置拔码开关 端盖颜色： 灰色
			200	8.4			
			250	10.5			
			300	12.6			
			350	14.7			
			400	16.8			
			450	18.9			
			500	21			
			550	23.1			
			600	25.2			
			650	27.3			
3.	FLS-44-1050 DALI-2 LD ECO	24-42	700	29.4	59	90	控制端口调光：DALI、 内置拔码开
			750	31.5			
			800	33.6			

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2022011002485777

Appendix : Page 2 of 2

			850	35.7			关 端盖颜色： 白色
			900	37.8			
			950	39.9			
			1000	42			
			1050	44.1			
4.	FLS-44-1050 DALI-2 LD2	24-42	700	29.4	59	90	控制端口调 光：DALI、 内置拔码开 关 端盖颜色： 灰色
			750	31.5			
			800	33.6			
			850	35.7			
			900	37.8			
			950	39.9			
			1000	42			
1050	44.1						

输入：220-240V~ 50/60Hz

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.