

Certificate of Suitability

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the Regulatory Compliance Mark (RCM) mark on the product of the same type provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. This Certificate meets the requirements of a Recognised External Certification Scheme (RECS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	Eaglerise Electric & Electronic (Ji An) Co., Ltd.	Other Name	
Address	West Zone, Ji an County Industrial Park, Ji an County Jiangxi - China		
Client ID	110223	Global-Mark File Number:	110223-003
Certification Number	GMA-520069	Revision Number	01
Certificate Standard(s)	AS 61347.2.13:2018 & AS/NZS 61347.1:2016 + A1 Lamp Control Gear - Part 2-13: Particular Requirements For D.C Or A.C Supplied Electronic Control Gear For Led Modules.		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	1/09/2024
Certificate Last Update Date	18/09/2024
Certification Expiry Date	1/09/2029

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Suitability

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Non declared	LED Power Supply	EAGLERISE	CS-8-100 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.03A max.; Output: 28-40V, 59V max, 100mA, 4W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-120 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.036 A max.; Output: 28-40V, 59V max, 120mA, 4.8W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-150 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.045 A max.; Output: 28-40V, 59V max, 150mA, 6W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-180 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.055 A max.; Output: 28-40V, 59V max, 180mA, 7.2W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-200 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.06 A max.; Output: 28-40V, 59V max, 200mA, 8W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-220 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.07 A max.; Output: 28-40V, 59V max, 220mA, 8.8W max.
Non declared	LED Power Supply	EAGLERISE	CS-15-250 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.08 A max.; Output: 28-40V, 59V max, 250mA, 10W max.
Non declared	LED Power Supply	EAGLERISE	CS-15-280 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.085 A max.; Output: 28-40V, 59V max, 280mA, 11.2W max.
Non declared	LED Power Supply	EAGLERISE	CS-15-300 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.09 A max.; Output: 28-40V, 59V max, 300mA, 12W max.
Non declared	LED Power Supply	EAGLERISE	CS-15-350 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.11 A max.; Output: 28-40V, 59V max, 350mA, 14W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-400 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.11 A max.; Output: 28-40V, 59V max, 400mA, 16W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-450 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.12 A max.; Output: 28-40V, 59V max, 450mA, 18W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-500 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.135 A max.; Output: 28-40V, 59V max, 500mA, 20W max.

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Suitability

Non declared	LED Power Supply	EAGLERISE	CS-22-550 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.15 A max; Output: 28-40V, 59V max, 550mA, 22W max.
Non declared	LED Power Supply	EAGLERISE	CS-36-600 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max. ; Output: 28-40V, 59V max, 600mA, 24W max.
Non declared	LED Power Supply	EAGLERISE	CS-36-650 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max. ; Output: 28-40V, 59V max, 650mA, 26W max.
Non declared	LED Power Supply	EAGLERISE	CS-36-700 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max. ; Output: 28-40V, 59V max, 700mA, 28W max.
Non declared	LED Power Supply	EAGLERISE	CS-36-750 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max. ; Output: 28-40V, 59V max, 750mA, 30W max.
Non declared	LED Power Supply	EAGLERISE	CS-36-800 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max. ; Output: 28-40V, 59V max, 800mA, 32W max.
Non declared	LED Power Supply	EAGLERISE	CS-36-850 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max. ; Output: 28-40V, 59V max, 850mA, 34W max.
Non declared	LED Power Supply	EAGLERISE	CS-36-900 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max. ; Output: 28-40V, 59V max, 900mA, 36W max.
Non declared	LED Power Supply	EAGLERISE	CS-30-600 LI1	Input: 220-240 V~, 50/60 Hz, 0.2 A max. ; Output: 12-42V, 59V max, 600mA, 25.2W max.
Non declared	LED Power Supply	EAGLERISE	CS-30-650 LI1	Input: 220-240 V~, 50/60 Hz, 0.2 A max. ; Output: 12-42V, 59V max, 650mA, 27.3W max.
Non declared	LED Power Supply	EAGLERISE	CS-30-700 LI1	Input: 220-240 V~, 50/60 Hz, 0.2 A max. ; Output: 12-42V, 59V max, 700mA, 29.4W max.
Non declared	LED Power Supply	EAGLERISE	CS-30-750 LI1	Input: 220-240 V~, 50/60 Hz, 0.2 A max. ; Output: 12-40V, 59V max, 750mA, 30W max.
Non declared	LED Power Supply	EAGLERISE	CS-42-800 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max. ; Output: 12-42V, 59V max, 800mA, 33.6W max.
Non declared	LED Power Supply	EAGLERISE	CS-42-850 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max. ; Output: 12-42V, 59V max, 850mA, 35.7W max.
Non declared	LED Power Supply	EAGLERISE	CS-42-900 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max. ; Output: 12-42V, 59V max, 900mA, 37.8W max.

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Suitability

Non declared	LED Power Supply	EAGLERISE	CS-42-950 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max.; Output: 12-42V, 59V max, 950mA, 39.9W max.
Non declared	LED Power Supply	EAGLERISE	CS-42-1000 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max ; Output: 12-42V, 59V max, 1000mA, 42W max.
Non declared	LED Power Supply	EAGLERISE	CS-42-1050 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max.; Output: 12-40V, 59V max, 1050mA, 42W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-80 SI	Input: 220-240 V~, 50/60 Hz, 0.07 A max.; Output: 30-40V, 59V max, 80mA, 3.2W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-100 SI	Input: 220-240 V~, 50/60 Hz, 0.07 A max.; Output: 30-40V, 59V max, 100mA, 4W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-120 SI	Input: 220-240 V~, 50/60 Hz, 0.07 A max.; Output: 30-40V, 59V max, 120mA, 4.8W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-150 SI	Input: 220-240 V~, 50/60 Hz, 0.08 A max.; Output: 30-40V, 59V max, 150mA, 6W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-180 SI	Input: 220-240 V~, 50/60 Hz, 0.1 A max.; Output: 30-40V, 59V max, 180mA, 7.2W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-200 SI	Input: 220-240 V~, 50/60 Hz, 0.11 A max.; Output: 30-40V, 59V max, 200mA, 8W max.
Non declared	LED Power Supply	EAGLERISE	CS-8-220 SI	Input: 220-240 V~, 50/60 Hz, 0.11 A max.; Output: 30-40V, 59V max, 220mA, 8.8W max.
Non declared	LED Power Supply	EAGLERISE	CS-15-250 SI	Input: 220-240 V~, 50/60 Hz, 0.125 A max.; Output: 27-42V, 59V max, 250mA, 10.5W max.
Non declared	LED Power Supply	EAGLERISE	CS-15-280 SI	Input: 220-240 V~, 50/60 Hz, 0.125 A max.; Output: 27-42V, 59V max, 280mA, 11.8W max.
Non declared	LED Power Supply	EAGLERISE	CS-15-300 SI	Input: 220-240 V~, 50/60 Hz, 0.15 A max.; Output: 27-42V, 59V max, 300mA, 12.6W max.
Non declared	LED Power Supply	EAGLERISE	CS-15-350 SI	Input: 220-240 V~, 50/60 Hz, 0.175 A max.; Output: 27-42V, 59V max, 350mA, 14.7W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-350 SI	Input: 220-240 V~, 50/60 Hz, 0.188 A max.; Output: 27-42V, 59V max, 350mA, 14.7W max.

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	LED Power Supply	EAGLERISE	CS-22-400 SI	Input: 220-240 V~, 50/60 Hz, 0.22 A max.; Output: 27-42V, 59V max, 400mA, 16.8W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-450 SI	Input: 220-240 V~, 50/60 Hz, 0.24 A max.; Output: 27-42V, 59V max, 450mA, 18.9W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-500 SI	Input: 220-240 V~, 50/60 Hz, 0.27 A max.; Output: 27-42V, 59V max, 500mA, 21W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-550 SI	Input: 220-240 V~, 50/60 Hz, 0.28 A max.; Output: 27-40V, 59V max, 550mA, 22W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-350 LI	Input: 220-240 V~, 50/60 Hz, 0.1 A max.; Output: 9-42V, 59V max, 350mA, 14.7W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-400 LI	Input: 220-240 V~, 50/60 Hz, 0.12 A max.; Output: 9-42V, 59V max, 400mA, 16.8W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-450 LI	Input: 220-240 V~, 50/60 Hz, 0.135 A max.; Output: 9-42V, 59V max, 450mA, 18.9W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-500 LI	Input: 220-240 V~, 50/60 Hz, 0.14 A max.; Output: 9-42V, 59V max, 500mA, 21W max.
Non declared	LED Power Supply	EAGLERISE	CS-22-550 LI	Input: 220-240 V~, 50/60 Hz, 0.15 A max.; Output: 9-40V, 59V max, 550mA, 22W max.
Non declared	LED Power Supply	EAGLERISE	CS-30-600 LI	Input: 220-240 V~, 50/60 Hz, 0.2 A max.; Output: 12-50V, 69V max, 600mA, 30W max.
Non declared	LED Power Supply	EAGLERISE	CS-30-650 LI	Input: 220-240 V~, 50/60 Hz, 0.2 A max.; Output: 12-47V, 69V max, 650mA, 30.6W max.
Non declared	LED Power Supply	EAGLERISE	CS-30-700 LI	Input: 220-240 V~, 50/60 Hz, 0.2 A max.; Output: 12-43V, 59V max, 700mA, 30.1W max.
Non declared	LED Power Supply	EAGLERISE	CS-30-750 LI	Input: 220-240 V~, 50/60 Hz, 0.2 A max.; Output: 12-40V, 59V max, 750mA, 30W max.
Non declared	LED Power Supply	EAGLERISE	CS-42-800 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-50V, 69V max, 800mA, 40W max.
Non declared	LED Power Supply	EAGLERISE	CS-42-850 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-47V, 69V max, 850mA, 40W max.

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	LED Power Supply	EAGLERISE	CS-42-900 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-45V, 69V max, 900mA, 40.5W max.
Non declared	LED Power Supply	EAGLERISE	CS-42-950 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-43V, 59V max, 950mA, 40.9W max.
Non declared	LED Power Supply	EAGLERISE	CS-42-1000 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-40V, 59V max, 1000mA, 40W max.
Non declared	LED Power Supply	EAGLERISE	CS-42-1050 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-40V, 59V max, 1050mA, 42W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-100 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.03A max.; Output: 28-40V, 59V max, 100mA, 4W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-120 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.036 A max.; Output: 28-40V, 59V max, 120mA, 4.8W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-150 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.045 A max.; Output: 28-40V, 59V max, 150mA, 6W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-180 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.055 A max.; Output: 28-40V, 59V max, 180mA, 7.2W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-200 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.06 A max.; Output: 28-40V, 59V max, 200mA, 8W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-220 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.07 A max.; Output: 28-40V, 59V max, 220mA, 8.8W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-15-250 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.08 A max.; Output: 28-40V, 59V max, 250mA, 10W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-15-280 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.085 A max.; Output: 28-40V, 59V max, 280mA, 11.2W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-15-300 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.09 A max.; Output: 28-40V, 59V max, 300mA, 12W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-15-350 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.11 A max.; Output: 28-40V, 59V max, 350mA, 14W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-400 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.11 A max.; Output: 28-40V, 59V max, 400mA, 16W max.

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Suitability

Non declared	LED Power Supply	ASTRAPOWER	CS-22-450 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.12 A max.; Output: 28-40V, 59V max, 450mA, 18W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-500 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.135 A max; Output: 28-40V, 59V max, 500mA, 20W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-550 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.15 A max; Output: 28-40V, 59V max, 550mA, 22W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-36-600 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max.; Output: 28-40V, 59V max, 600mA, 24W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-36-650 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max.; Output: 28-40V, 59V max, 650mA, 26W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-36-700 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max.; Output: 28-40V, 59V max, 700mA, 28W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-36-750 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max.; Output: 28-40V, 59V max, 750mA, 30W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-36-800 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max.; Output: 28-40V, 59V max, 800mA, 32W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-36-850 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max.; Output: 28-40V, 59V max, 850mA, 34W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-36-900 TRIAC LI	Input: 220-240 V~, 50/60 Hz, 0.23 A max.; Output: 28-40V, 59V max, 900mA, 36W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-30-600 LI1	Input: 220-240 V~, 50/60 Hz, 0.2 A max.; Output: 12-42V, 59V max, 600mA, 25.2W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-30-650 LI1	Input: 220-240 V~, 50/60 Hz, 0.2 A max. Output: 12-42V, 59V max, 650mA, 27.3W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-30-700 LI1	Input: 220-240 V~, 50/60 Hz, 0.2 A max.; Output: 12-42V, 59V max, 700mA, 29.4W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-30-750 LI1	Input: 220-240 V~, 50/60 Hz, 0.2 A max.; Output: 12-40V, 59V max, 750mA, 30W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-42-800 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max.; Output: 12-42V, 59V max, 800mA, 33.6W max.

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Suitability

Non declared	LED Power Supply	ASTRAPOWER	CS-42-850 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max.; Output: 12-42V, 59V max, 850mA, 35.7W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-42-900 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max.; Output: 12-42V, 59V max, 900mA, 37.8W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-42-950 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max.; Output: 12-42V, 59V max, 950mA, 39.9W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-42-1000 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max.; Output: 12-42V, 59V max, 1000mA, 42W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-42-1050 LI1	Input: 220-240 V~, 50/60 Hz, 0.27 A max.; Output: 12-40V, 59V max, 1050mA, 42W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-80 SI	Input: 220-240 V~, 50/60 Hz, 0.07 A max.; Output: 30-40V, 59V max, 80mA, 3.2W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-100 SI	Input: 220-240 V~, 50/60 Hz, 0.07 A max.; Output: 30-40V, 59V max, 100mA, 4W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-120 SI	Input: 220-240 V~, 50/60 Hz, 0.07 A max.; Output: 30-40V, 59V max, 120mA, 4.8W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-150 SI	Input: 220-240 V~, 50/60 Hz, 0.08 A max.; Output: 30-40V, 59V max, 150mA, 6W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-180 SI	Input: 220-240 V~, 50/60 Hz, 0.1 A max.; Output: 30-40V, 59V max, 180mA, 7.2W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-200 SI	Input: 220-240 V~, 50/60 Hz, 0.11 A max.; Output: 30-40V, 59V max, 200mA, 8W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-8-220 SI	Input: 220-240 V~, 50/60 Hz, 0.11 A max.; Output: 30-40V, 59V max, 220mA, 8.8W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-15-250 SI	Input: 220-240 V~, 50/60 Hz, 0.125 A max.; Output: 27-42V, 59V max, 250mA, 10.5W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-15-280 SI	Input: 220-240 V~, 50/60 Hz, 0.125 A max.; Output: 27-42V, 59V max, 280mA, 11.8W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-15-300 SI	Input: 220-240 V~, 50/60 Hz, 0.15 A max.; Output: 27-42V, 59V max, 300mA, 12.6W max.

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager




Certificate of Suitability

Non declared	LED Power Supply	ASTRAPOWER	CS-15-350 SI	Input: 220-240 V~, 50/60 Hz, 0.175 A max.; Output: 27-42V, 59V max, 350mA, 14.7W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-350 SI	Input: 220-240 V~, 50/60 Hz, 0.188 A max.; Output: 27-42V, 59V max, 350mA, 14.7W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-400 SI	Input: 220-240 V~, 50/60 Hz, 0.22 A max.; Output: 27-42V, 59V max, 400mA, 16.8W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-450 SI	Input: 220-240 V~, 50/60 Hz, 0.24 A max.; Output: 27-42V, 59V max, 450mA, 18.9W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-500 SI	Input: 220-240 V~, 50/60 Hz, 0.27 A max.; Output: 27-42V, 59V max, 500mA, 21W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-550 SI	Input: 220-240 V~, 50/60 Hz, 0.28 A max.; Output: 27-40V, 59V max, 550mA, 22W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-350 LI	Input: 220-240 V~, 50/60 Hz, 0.1 A max.; Output: 9-42V, 59V max, 350mA, 14.7W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-400 LI	Input: 220-240 V~, 50/60 Hz, 0.12 A max.; Output: 9-42V, 59V max, 400mA, 16.8W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-450 LI	Input: 220-240 V~, 50/60 Hz, 0.135 A max.; Output: 9-42V, 59V max, 450mA, 18.9W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-500 LI	Input: 220-240 V~, 50/60 Hz, 0.14 A max.; Output: 9-42V, 59V max, 500mA, 21W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-22-550 LI	Input: 220-240 V~, 50/60 Hz, 0.15 A max.; Output: 9-40V, 59V max, 550mA, 22W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-30-600 LI	Input: 220-240 V~, 50/60 Hz, 0.2 A max.; Output: 12-50V, 69V max, 600mA, 30W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-30-650 LI	Input: 220-240 V~, 50/60 Hz, 0.2 A max.; Output: 12-47V, 69V max, 650mA, 30.6W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-30-700 LI	Input: 220-240 V~, 50/60 Hz, 0.2 A max.; Output: 12-43V, 59V max, 700mA, 30.1W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-30-750 LI	Input: 220-240 V~, 50/60 Hz, 0.2 A max.; Output: 12-40V, 59V max, 750mA, 30W max.

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Suitability

Non declared	LED Power Supply	ASTRAPOWER	CS-42-800 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-50V, 69V max, 800mA, 40W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-42-850 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-47V, 69V max, 850mA, 40W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-42-900 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-45V, 69V max, 900mA, 40.5W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-42-950 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-43V, 59V max, 950mA, 40.9W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-42-1000 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-40V, 59V max, 1000mA, 40W max.
Non declared	LED Power Supply	ASTRAPOWER	CS-42-1050 LI	Input: 220-240 V~, 50/60 Hz, 0.3 A max.; Output: 12-40V, 59V max, 1050mA, 42W max.

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
Built-in 2024/09/18 Modification 1 - updated rating information

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager


