



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2021011002392478

NAME AND ADDRESS OF THE APPLICANT

Eaglerise Electric & Electronic (China) Co., Ltd.
No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong
Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Eaglerise Electric & Electronic (China) Co., Ltd.
No.A3, Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong
Province, P.R.China

NAME AND LOCATION OF THE FACTORY

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

PRODUCT NAME,MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV,
ta:45°C, tc:85°C, Class II, IP20, Suitable For Direct Mounting On Normally Flammable Material,
Temperature Declared Thermally Protected: 110°C)
See Appendix;220-240V ~ 50/60Hz.

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB 19510.1-2009;GB 19510.14-2009

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Apr.25,2024

Valid until: May.27,2026

Date of original issued: May.27,2021

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2021011002392478

Appendix : Page 1 of 3

序号	型号	输出				ta (°C)	tc (°C)
		恒流 (mA)	电压 (VDC)	最大电压 (Max.VDC)	功率 (Max.W)		
1.	LS-40-600 LI4	600	24-42	50	25.2	45	85
2.	LS-40-650 LI4	650	24-42	50	27.3	45	85
3.	LS-40-700 LI4	700	24-42	50	29.4	45	85
4.	LS-40-750 LI4	750	24-42	50	31.5	45	85
5.	LS-40-800 LI4	800	24-42	50	33.6	45	85
6.	LS-40-850 LI4	850	24-42	50	35.7	45	85
7.	LS-40-900 LI4	900	24-42	50	37.8	45	85
8.	LS-40-950 LI4	950	24-42	50	39.9	45	85
9.	LS-40-1000 LI4	1000	24-40	50	40	45	85
10.	LS-40-1050 LI4	1050	24-38.5	52	40.4	45	85
11.	LS-40-500 LI4-F	500	48-80	90	40	45	85
12.	LS-40-600 LI4-F	600	40-67	77	40.2	45	85
13.	LS-40-700 LI4-F	700	34.5-55	67	38.5	45	85
14.	LS-40-500 LI4-F-G	500	48-80	90	40	45	85
15.	LS-40-600 LI4-F-G	600	40-67	77	40.2	45	85

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2021011002392478

Appendix : Page 2 of 3

16.	LS-40-700 LI4-F-G	700	34.5-55	67	38.5	45	85
17.	LS-40-600 LI4-G	600	24-42	50	25.2	45	85
18.	LS-40-650 LI4-G	650	24-42	50	27.3	45	85
19.	LS-40-700 LI4-G	700	24-42	50	29.4	45	85
20.	LS-40-750 LI4-G	750	24-42	50	31.5	45	85
21.	LS-40-800 LI4-G	800	24-42	50	33.6	45	85
22.	LS-40-850 LI4-G	850	24-42	50	35.7	45	85
23.	LS-40-900 LI4-G	900	24-42	50	37.8	45	85
24.	LS-40-950 LI4-G	950	24-42	50	39.9	45	85
25.	LS-40-1000 LI4-G	1000	24-40	50	40	45	85
26.	LS-40-1050 LI4-G	1050	24-38.5	52	40.4	45	85
27.	LS-40-600 LI4-ECO	600	24-42	50	25.2	45	85
28.	LS-40-650 LI4-ECO	650	24-42	50	27.3	45	85
29.	LS-40-700 LI4-ECO	700	24-42	50	29.4	45	85
30.	LS-40-750 LI4-ECO	750	24-42	50	31.5	45	85
31.	LS-40-800 LI4-ECO	800	24-42	50	33.6	45	85
32.	LS-40-850 LI4-ECO	850	24-42	50	35.7	45	85
33.	LS-40-900 LI4-ECO	900	24-42	50	37.8	45	85
34.	LS-40-950 LI4-ECO	950	24-42	50	39.9	45	85

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation


CERTIFICATE NO. : 2021011002392478

Appendix: Page 3 of 3

35.	LS-40-1000 LI4-ECO	1000	24-40	50	40	45	85
36.	LS-40-1050 LI4-ECO	1050	24-38.5	52	40.4	45	85

输入: 220-240V~ 50/60Hz

备注: 以上型号实测输入功率均大于 5W。



This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.