

Nemko hereby grants the following manufacturer license to affix the above shown ENEC mark on the product(s) specified below

Applicant EAGLERISE ELECTRIC & ELECTRONIC (JI AN) CO., LTD
West Zone, Ji An County Industrial Park, Ji an County
Jiangxi Province
China

Manufacturer EAGLERISE ELECTRIC & ELECTRONIC (JI AN) CO., LTD
West Zone, Ji An County Industrial Park, Ji an County
Jiangxi Province
China

Factory EAGLERISE ELECTRIC & ELECTRONIC (JI AN) CO., LTD
West Zone, Ji An County Industrial Park, Ji an County
Jiangxi Province
China

Project Number PRJ0066702

Product LED Power Supply

Model/Type Ref. LS-xx-yyy LI1 EXC, LS-60-yyy LI EXC

Ratings PRI: Max. 0.38 A, 220-240 V~, 50/60 Hz, SEC: Max. 60.9 W, max. 1.5 A, 15-58 Vd.c.
(under load), Max. 68 Vd.c. (no-load).

Brandname / TradeMark (EAGLERISE), (ASTRAPOWER)



Principal Characteristics

A sample of the product was tested and found to be in conformity with

Safety

EN 61347-1:2015;A1
EN 61347-2-13:2014;A1
EN IEC 62384:2020

Test report No REP066678 and REP066676

Compliance

The conditions for this licence are that the ENEC-marked products conform with the applicable Standard(s) as stated in the test report and that Articles 8 and 9 of the ENEC Agreement are fulfilled by the manufacturer. The mark signifies the compliance of the completed products with these conditions. Further information is given in the attached Annex, which forms an obligatory part of this licence document. This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regards to the production presented for the testing and certification

Additional Information

See next page

Additional model(s)

No additional models

Signature



Yasaman Vadoudi

Certification department

Date of Issue

2024-11-20

*Working for a more sustainable future
Please do not print*



Additional Information

Independent type, SELV, constant current output, thermal protected 110 °C, ta: 45 °C, tc: 75 °C/ 80 °C/ 85 °C/ 90 °C.

Independent controlgear providing SELV output for LED module only, constant current output, the insulation between live parts and enclosure fulfils reinforced insulation, IP20, for indoor only.

Thermal protected 110 for all models except LS-60-yyyy LI EXC.

LS-xx-yyy LI1 EXC:

The 'xx' in the type designation can be 8, 12, 15 or 21.

The 'yyy' is for the output current and represents the number from 70 to 550, for example, 70 means the output current is 70 mA, 550 means the output current is 550 mA.

LS-60-yyyy LI EXC:

The 'yyyy' is for the output current and represents the number from 1050 to 1500, for example, 1050 means the output current is 1050 mA, 1500 means the output current is 1500 mA.

Signature

Yasaman Vadoudi

Certification department

Date of Issue

2024-11-20

*Working for a more sustainable future
Please do not print*

www.nemko.com