



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2022011002479573

NAME AND ADDRESS OF THE APPLICANT

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

NAME AND ADDRESS OF THE MANUFACTURER

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

NAME AND LOCATION OF THE FACTORY

Eaglerise Electric & Electronic (Ji An) Co., Ltd.
Southwest Corner, Crossing Between Panlong Road And Chaoyang Road, Industrial Park, Ji An
County, Jiangxi Province, P.R.China

PRODUCT NAME,MODEL AND SPECIFICATION

A.C. Supplied Electronic Controlgear For LED Modules (Independent, Constant Current Mode, SELV,
Non-dimmable, ta:40/45/50/55°C, tc:70/75/80/85°C, Class II, IP20, Suitable For Direct Mounting On
Normally Flammable Material Surfaces, Temperature Declared Thermally Protected: 110°C)

See Appendix. 220-240V ~ 50/60Hz

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022;GB/T 17743-2021;GB/T 19510.1-2023;GB/T 19510.213-2023

This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C10-01:2014).

Valid from: Mar.26,2025

Valid until: May.15,2027

Date of original issued: Jun.27,2022

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2022011002479573

Appendix: Page 1 of 7

序号	型号	输出				ta	tc
		恒流	工作电 压	最大输 出电压	最大功 率	(°C)	(°C)
		(mA)	(Vdc)	(Vdc)	(W)		
1	LS-6-120 SI ECO	120	27-40	59	4.8	50	80
2	LS-6-150 SI ECO	150	27-40	59	6	50	80
3	LS-6-180 SI ECO	180	27-40	59	7.2	50	80
4	LS-6-200 SI ECO	200	27-40	59	8	50	80
5	LS-6-220 SI ECO	220	27-40	59	8.8	50	80
6	LS-6-250 SI ECO	250	10-24	45	6	50	80
7	LS-6-300 SI ECO	300	8-20	40	6	50	80
8	LS-6-350 SI ECO	350	8-18	40	6.3	50	80
9	LS-6-400 SI ECO	400	5-15	30	6	50	80
10	LS-6-450 SI ECO	450	5-13.5	30	6.1	50	80
11	LS-6-500 SI ECO	500	5-12	30	6	50	80
12	LS-6-550 SI ECO	550	5-11	30	6.05	50	80
13	LS-6-600 SI ECO	600	4-9	25	5.4	50	80
14	LS-6-650 SI ECO	650	4-9	25	5.85	50	80
15	LS-6-700 SI ECO	700	4-9	25	6.3	50	80
16	LS-6-120 SI E	120	27-40	59	4.8	50	80
17	LS-6-150 SI E	150	27-40	59	6	50	80
18	LS-6-180 SI E	180	27-40	59	7.2	50	80
19	LS-6-200 SI E	200	27-40	59	8	50	80
20	LS-6-220 SI E	220	27-40	59	8.8	50	80
21	LS-6-250 SI E	250	10-24	45	6	50	80
22	LS-6-300 SI E	300	8-20	40	6	50	80
23	LS-6-350 SI E	350	8-18	40	6.3	50	80
24	LS-6-400 SI E	400	5-15	30	6	50	80
25	LS-6-450 SI E	450	5-13.5	30	6.1	50	80
26	LS-6-500 SI E	500	5-12	30	6	50	80

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2022011002479573

Appendix: Page 2 of 7

27	LS-6-550 SI E	550	5-11	30	6.05	50	80
28	LS-6-600 SI E	600	4-9	25	5.4	50	80
29	LS-6-650 SI E	650	4-9	25	5.85	50	80
30	LS-6-700 SI E	700	4-9	25	6.3	50	80
31	LS-8-180 SI E1	180	30-42	59	7.56	45	80
32	LS-8-200 SI E1	200	30-42	59	8.4	45	80
33	LS-8-220 SI E1	220	30-42	59	9.24	45	80
34	LS-8-700 SI E1	700	8-13	24	9.1	40	80
35	LS-8-120 SI ECO	120	30-42	59	5.1	45	70
36	LS-8-150 SI ECO	150	30-42	59	6.3	45	70
37	LS-8-180 SI ECO	180	30-42	59	7.6	45	70
38	LS-8-200 SI ECO	200	30-42	59	8.4	45	70
39	LS-8-220 SI ECO	220	30-38.5	50	8.5	45	70
40	LS-8-250 SI ECO	250	16-26	37	6.5	45	70
41	LS-8-300 SI ECO	300	15-24	40	7.2	45	70
42	LS-8-350 SI ECO	350	15-24	35	8.4	45	70
43	LS-8-400 SI ECO	400	12-20	30	8	45	70
44	LS-8-450 SI ECO	450	11-18	30	8.1	45	70
45	LS-8-500 SI ECO	500	10-16	26	8	45	70
46	LS-8-550 SI ECO	550	9-14	25	7.7	45	70
47	LS-8-600 SI ECO	600	8-13	25	7.8	45	70
48	LS-8-120 SI E	120	30-42	59	5.1	45	70
49	LS-8-150 SI E	150	30-42	59	6.3	45	70
50	LS-8-180 SI E	180	30-42	59	7.6	45	70
51	LS-8-200 SI E	200	30-42	59	8.4	45	70
52	LS-8-220 SI E	220	30-38.5	50	8.5	45	70
53	LS-8-250 SI E	250	16-26	37	6.5	45	70
54	LS-8-300 SI E	300	15-24	40	7.2	45	70
55	LS-8-350 SI E	350	15-24	35	8.4	45	70
56	LS-8-400 SI E	400	12-20	30	8	45	70

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2022011002479573

Appendix: Page 3 of 7

57	LS-8-450 SI E	450	11-18	30	8.1	45	70
58	LS-8-500 SI E	500	10-16	26	8	45	70
59	LS-8-550 SI E	550	9-14	25	7.7	45	70
60	LS-8-600 SI E	600	8-13	25	7.8	45	70
61	LS-12-250 SI ECO	250	30-42	59	10.5	45	70
62	LS-12-300 SI ECO	300	30-42	59	12.6	45	70
63	LS-12-350 SI ECO	350	27-40	57	14	45	70
64	LS-12-400 SI ECO	400	20-30	45	12	45	70
65	LS-12-450 SI ECO	450	16-26	39	11.7	45	70
66	LS-12-500 SI ECO	500	14-26	39	13	45	70
67	LS-12-550 SI ECO	550	12-21	32	11.6	45	70
68	LS-12-600 SI ECO	600	11-20	31	12	45	70
69	LS-12-250 SI E	250	30-42	59	10.5	45	70
70	LS-12-300 SI E	300	30-42	59	12.6	45	70
71	LS-12-350 SI E	350	27-40	57	14	45	70
72	LS-12-400 SI E	400	20-30	45	12	45	70
73	LS-12-450 SI E	450	16-26	39	11.7	45	70
74	LS-12-500 SI E	500	14-26	39	13	45	70
75	LS-12-550 SI E	550	12-21	32	11.6	45	70
76	LS-12-600 SI E	600	11-20	31	12	45	70
77	LS-21-300 SI ECO	300	50-70	90	21	45	80
78	LS-21-350 SI ECO	350	42-60	80	21	45	80
79	LS-21-400 SI ECO	400	27-42	55	16.8	45	80
80	LS-21-450 SI ECO	450	27-42	55	18.9	45	80
81	LS-21-500 SI ECO	500	27-42	55	21	45	80
82	LS-21-550 SI ECO	550	27-40	55	22	45	80
83	LS-21-600 SI ECO	600	27-39	55	23.4	45	80
84	LS-21-650 SI ECO	650	20-32	50	20.8	45	80
85	LS-21-700 SI ECO	700	18-30	50	21	45	80
86	LS-21-300 SI E	300	50-70	90	21	45	80

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2022011002479573

Appendix : Page 4 of 7

87	LS-21-350 SI E	350	42-60	80	21	45	80
88	LS-21-400 SI E	400	27-42	55	16.8	45	80
89	LS-21-450 SI E	450	27-42	55	18.9	45	80
90	LS-21-500 SI E	500	27-42	55	21	45	80
91	LS-21-550 SI E	550	27-40	55	22	45	80
92	LS-21-600 SI E	600	27-39	55	23.4	45	80
93	LS-21-650 SI E	650	20-32	50	20.8	45	80
94	LS-21-700 SI E	700	18-30	50	21	45	80
95	LS-8-120 SI1 ECO	120	30-42	59	5.1	45	70
96	LS-8-150 SI1 ECO	150	30-42	59	6.3	45	70
97	LS-8-180 SI1 ECO	180	30-42	59	7.6	45	70
98	LS-8-200 SI1 ECO	200	30-42	59	8.4	45	70
99	LS-8-220 SI1 ECO	220	30-38.5	59	8.5	45	70
100	LS-8-250 SI1 ECO	250	16-26	42	6.5	45	70
101	LS-8-300 SI1 ECO	300	15-24	40	7.2	45	70
102	LS-8-350 SI1 ECO	350	15-24	40	8.4	45	70
103	LS-8-400 SI1 ECO	400	12-20	35	8	45	70
104	LS-8-450 SI1 ECO	450	11-18	32	8.1	45	70
105	LS-8-500 SI1 ECO	500	10-16	26	8	45	70
106	LS-8-550 SI1 ECO	550	9-14	25	7.7	45	70
107	LS-8-600 SI1 ECO	600	8-13	25	7.8	45	70
108	LS-8-250 SI1 E	250	16-26	42	6.5	45	70
109	LS-8-300 SI1 E	300	15-24	40	7.2	45	70
110	LS-8-350 SI1 E	350	15-24	40	8.4	45	70
111	LS-8-400 SI1 E	400	12-20	35	8	45	70
112	LS-8-450 SI1 E	450	11-18	32	8.1	45	70
113	LS-8-500 SI1 E	500	10-16	26	8	45	70
114	LS-8-550 SI1 E	550	9-14	25	7.7	45	70
115	LS-8-600 SI1 E	600	8-13	25	7.8	45	70
116	LS-12-250 SI1 ECO	250	30-42	59	10.5	45	70

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2022011002479573

Appendix : Page 5 of 7

117	LS-12-300 SII ECO	300	30-42	59	12.6	45	70
118	LS-12-350 SII ECO	350	27-40	57	14	45	70
119	LS-12-400 SII ECO	400	20-30	45	12	45	70
120	LS-12-450 SII ECO	450	16-26	42	11.7	45	70
121	LS-12-500 SII ECO	500	14-26	42	13	45	70
122	LS-12-550 SII ECO	550	12-21	35	11.6	45	70
123	LS-12-600 SII ECO	600	11-20	35	12	45	70
124	LS-12-400 SII E	400	20-30	45	12	45	70
125	LS-12-450 SII E	450	16-26	42	11.7	45	70
126	LS-12-500 SII E	500	14-26	42	13	45	70
127	LS-12-550 SII E	550	12-21	35	11.6	45	70
128	LS-12-600 SII E	600	11-20	35	12	45	70
129	LS-21-250 SII ECO	250	50-80	95	20	45	80
130	LS-21-300 SII ECO	300	40-70	90	21	45	80
131	LS-21-350 SII ECO	350	42-60	80	21	45	80
132	LS-21-400 SII ECO	400	27-42	55	16.8	45	80
133	LS-21-450 SII ECO	450	27-42	55	18.9	45	80
134	LS-21-500 SII ECO	500	27-42	55	21	45	80
135	LS-21-550 SII ECO	550	27-40	55	22	45	80
136	LS-21-600 SII ECO	600	27-39	55	23.4	45	80
137	LS-21-650 SII ECO	650	20-32	50	20.8	45	80
138	LS-21-700 SII ECO	700	18-30	50	21	45	80
139	LS-8-120 SII E	120	30-40	59	4.8	45	75
140	LS-8-150 SII E	150			6		
141	LS-8-160 SII E	160			6.4		
142	LS-8-180 SII E	180			7.2		
143	LS-8-200 SII E	200			8		
144	LS-8-220 SII E	220			8.8		
145	LS-12-250 SII E	250	30-40	59	10	45	80
146	LS-12-280 SII E	280	30-40		11.2	45	80

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2022011002479573

Appendix : Page 6 of 7

147	LS-12-300 SI1 E	300	30-40		12	45	80
148	LS-12-350 SI1 E	350	30-40		14	45	80
149	LS-21-300 SI1 E	300	40-70	90	21	45	80
150	LS-21-350 SI1 E	350	42-60	80	21	45	80
151	LS-21-400 SI1 E	400	30-42	59	16.8	45	80
152	LS-21-450 SI1 E	450	30-42		18.9	45	80
153	LS-21-500 SI1 E	500	30-42		21	45	80
154	LS-21-550 SI1 E	550	30-40		22	45	80
155	LS-21-600 SI1 E	600	27-39		23.4	45	80
156	LS-21-650 SI1 E	650	20-32	50	20.8	45	80
157	LS-21-700 SI1 E	700	18-30	50	21	45	80
158	LS-8-120 LI EXC	120	27-50	59	6	55	75
159	LS-8-150 LI EXC	150	27-50	59	7.5	55	75
160	LS-8-180 LI EXC	180	22-42	55	7.6	55	75
161	LS-8-200 LI EXC	200	22-42	55	8.4	55	75
162	LS-8-220 LI EXC	220	22-42	55	9.24	55	75
163	LS-8-250 LI EXC	250	14-27	45	6.75	55	75
164	LS-8-300 LI EXC	300	14-27	45	8.1	55	75
165	LS-8-350 LI EXC	350	12-24	35	8.4	55	75
166	LS-12-250 LI EXC	250	24-42	55	10.5	45	75
167	LS-12-300 LI EXC	300	24-42	55	12.6	45	75
168	LS-12-350 LI EXC	350	24-40	55	14	45	75
169	LS-20-350 LI EXC	350	40-60	75	21	45	80
170	LS-20-400 LI EXC	400	24-42	55	16.8	45	80
171	LS-20-450 LI EXC	450	24-42	55	18.9	45	80
172	LS-20-500 LI EXC	500	24-42	55	21	45	80
173	LS-20-550 LI EXC	550	24-40	55	22	45	80
174	LS-20-600 LI EXC	600	24-40	55	24	45	80
175	LS-20-700 LI EXC	700	18-30	45	21	45	80
176	LS-8-120 SI2 E	120	30-40	59	4.8	45	75

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2022011002479573

Appendix: Page 7 of 7

177	LS-8-150 SI2 E	150	30-40	59	6	45	75
178	LS-8-160 SI2 E	160	30-40	59	6.4	45	75
179	LS-8-180 SI2 E	180	30-40	59	7.2	45	75
180	LS-8-200 SI2 E	200	30-40	59	8	45	75
181	LS-8-220 SI2 E	220	30-40	59	8.8	45	75
182	LS-8-300 SI2 E	300	18-24	40	7.2	45	75
183	LS-8-350 SI2 E	350	18-24	40	8.4	45	75
184	LS-8-700 SI2 E	700	8-11.4	28	8	45	75
185	LS-12-250 SI2 E	250	30-40	59	10	45	80
186	LS-12-280 SI2 E	280	30-40	59	11.2	45	80
187	LS-12-300 SI2 E	300	30-40	59	12	45	80
188	LS-12-350 SI2 E	350	30-40	59	14	45	85
189	LS-12-500 SI2 E	500	18-24	40	12	45	85
190	LS-12-600 SI2 E	600	15-20	35	12	45	85
191	LS-12-700 SI2 E	700	13-17.2	35	12	45	85

220-240V~ 50/60Hz

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.